

RHINO-RACK

RHINOLOGUE 2018



RHINO-RACK HAS BEEN CREATING WORLD-CLASS ROOF RACKS SINCE 1992.

Today we're the proud owner of Australia's most diverse and innovative range of roof rack products, supplying high-quality gear to all industry segments.

We're there for the tradies.

When you need reliable gear that works as hard as you do, look no further than our massive range of Heavy Duty roof racks, ladder racks, trays, conduits and more.

We're there for the sportsmen.

Loading your bikes, kayaks, canoes, skis and snowboards has never been easier - meaning we help you get out on the track, water or slopes quicker than ever before.

We're there for the sun-seekers and nature lovers.

Indulge your taste for adventure with our Rhino-Rack Batwing awning, boat loader, luggage basket or fishing-rod holders. Everything the Aussie camper needs for the ultimate getaway.

We're there for the environment.

We think nature is pretty awesome. And if we don't take care of it, our kids and grandkids might not be able to do all the camping, biking, skiing and surfing that we do. So we're committed to minimising our environmental impact across every aspect of the Rhino-Rack business.

Most of all, we're there for the customer.


We're there to offer expert advice, help you choose the perfect roof rack product, and guide you on the best way to fit it to your vehicle.



"I am so proud of what we have achieved in 25 years. From our humble beginnings in '92 making one set of roof racks to now, selling thousands of products in over 50 countries around the world. I love getting out there and personally testing products in the harshest environments so we can deliver you the best product possible. We will continue to innovate and change, finding better ways to carry more gear so you can explore new places and have more fun."

Richard Cropley, Managing Director





ROOF RACKS	06
BACKBONE	18
CANOPY	22
PIONEERS	30
PIONEER ACCESSORIES	37
LUGGAGE	
TRAYS	48
BASKETS	49
BAG + BOXES	51
LOAD SECURING	54
AWNINGS	60
AWNING ACCESSORIES	69
SPORTS	
WATER	72
SNOW	82
BIKE	84
TRADE SOLUTIONS	FLIP TO 91

ROOF RACKS

For more than 25 years we have been designing and perfecting roof racks to fit all sorts of vehicles. Now with thousands of vehicles fitted, you are sure to find the right roof rack for your load carrying needs. These products are in our DNA and we continue to find more fits for more vehicles ensuring quality and functionality are covered with clever designs.

- 06 Crossbars
- 07 Removable Mount
- 08 Rail Mount
- 09 Gutter Mount
- 10 Track Mount
- 11 Tracks
- 12 Fix Point Mount
- 13 Ditch Bracket
- 14 Roof Rack Tech Specs
- 18 Rhino-Rack Backbone
- 21 Rhino-Rack Backbone Tech Specs
- 22 Canopy & Utilities
- 27 Canopy & Utilities Tech Specs



WHERE DO I START?

CHOOSING THE BEST ROOF RACKS FOR YOUR NEXT ADVENTURE BEGINS WITH THESE 6 QUESTIONS

- 1 Are you planning to head out **OFF-ROAD**?
- 2 What **GEAR** are you planning to take?
- 3 What is the **BODY TYPE** of your vehicle?
- 4 Who is the **MANUFACTURER** of your vehicle?
- 5 What is the **MODEL** of your vehicle?
- 6 Which **YEAR** was your vehicle manufactured?


These questions are all about making sure you have the right product to not only match your adventure but also your vehicle.

**DON'T
FORGET**

Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**



FINDING THE RIGHT ROOF-RACK MADE EASY RHINO-RACK “FIT MY CAR”



Thousands of vehicles and even more products are designed to specifically fit particular vehicles and it is so important to get it right. A Rhino-Rack roof rack that fits perfectly means you can rest easy knowing the gear you carry is safe and sound on the roof of your vehicle.

The right Rhino-Rack product for your vehicle is just a click away when you visit the Rhino-Rack Website. Simply Click on the “Fit My Car” link, then select your vehicle Manufacturer, Model, Year and Body type and check out all the Roof-Racks and Trays that fit your car...like a glove.

From there you can see the recommended retail price, dive into all the specifications, features and benefits and even look at installation instructions. You can also add them to a wish list and email to a friend or your local Rhino-Rack Dealer.

Simply log on to www.rhinorack.com.au



CROSS BAR OPTIONS

VORTEX [VA]

COLOUR



PERFECT FOR:

- Recreational and trade use. This is the most versatile crossbar on the market
- SECURECORE™ locking endcaps included.
- Masterkey™ compatible
- Strong and durable for offroad and commercial use
- Suits most load carrying accessories on the market
- Vortex Generating Strip (VGS) is included
- Extruded structural aluminium curved to suit the contour of your roof



BAR LENGTHS AVAILABLE:

1065mm, 1180mm, 1260mm, 1375mm, 1500mm, 1650mm, 1800mm, 2000mm



MASTERKEY COMPATIBLE

HEAVY DUTY [HD]

COLOUR



PERFECT FOR:

- Trade accessories e.g. ladder racks
- Designed for heavy duty use
- Extruded structural aluminium
- Strong and durable for offroad and commercial use
- Large range of commercial carrying solutions available
- Rubber strips included



BAR LENGTHS AVAILABLE:

1120mm, 1250mm, 1375mm, 1500mm, 1650mm, 1800mm, 2000mm, 2400mm

EURO

COLOUR



PERFECT FOR:

- Light duty load carrying
- Fits 2500 leg system
- Light weight quality materials
- Accessories available
- Not suitable for offroad or heavy duty commercial use
- Available in black



1.0 REMOVABLE MOUNT



1.1 ROC25 Slick design with no overhang



1.2 VA 2500 Large range of accessories



1.3 HD 2500 Quick installation, perfect DIY kit



1.4 EURO 2500 Simple installation. Engineered, vehicle specific design



2.0 RAIL MOUNT



2.1 STEALTHBAR One of the lowest roof rack system on the market



2.2 VORTEX SX Quick and simple installation



2.3 VORTEX SX Durable and sleek design. Unique internal pad design to suit vehicle specific rails



2.4 CXB Durable and sleek design. Unique internal pad design to suit vehicle specific rails

3.0 GUTTER MOUNT



3.1 SG GUTTER MOUNT LEG Compatible with a wide range of accessories



3.2 RL GUTTER MOUNT LEG Compatible with a wide range of accessories



3.3 HIGH ROOF GUTTER MOUNT Compatible with a wide range of accessories

4.0 TRACK MOUNT



4.1 RLT600 Ideal for low clearance. Simple trigger locking system



4.2 RLT500 Position your roof rack system along the track



4.3 RLTF/RLTP Solid, low profile design



4.4 RSPT Flush bars with no overhang. Strong and built to last



MAXIMUM ON/OFF ROAD CARRYING CAPACITY

Tracks are our specialty. We have a range of tracks so please contact your Rhino-Rack seller or log on to www.rhinorack.com.au for the best option for you.

Just some of the vehicles we have tracks for:

Canopy / Hard Tonneau Track Mount

Ford Ranger PX

Holden Colorado

Hyundai iLoad

Isuzu D-MAX

Isuzu MU-X

Jeep Wrangler

Mazda BT50

Mercedes Sprinter

Mitsubishi Challenger

Mitsubishi Triton

Mitsubishi Pajero

Nissan Navara

Nissan Pathfinder

Range Rover

Toyota Hilux

Toyota Landcruiser

Toyota Prado

Toyota Rav 4

VW Transporter



5.0 TRACKS



5.1 RTV TRACK

The most versatile track option



5.2 RTS TRACK

Unique track made for specific vehicles



5.3 RTC TRACK

Made for Canopies

For specific vehicle track listings go to www.rhinorack.com.au

6.0 FIXED POINT MOUNT



6.1 RLTF Strong and durable



6.2 RC Locking cover plate for peace of mind




6.3 ROC25 FMP Specifically moulded to fit the contours of your vehicle's roof



6.4 RV Available in two different heights. Compatible with a range of accessories



7.0 DITCH MOUNT



We now have a specialized option for those hard to fit vehicles.

Ditch Brackets provide fixed mounting points to attach roof racks with the highest load capacity for a vehicle*. It is a sleek, clean fit that can be used in conjunction with a range of roof racks.

Ditch brackets require a specialised fit. Please contact your local Rhino-Rack dealer for more information or to organise a fitment.

*Please refer to the vehicle manufacturer's handbook for specific vehicle load ratings.



ROOF RACKS- Tech Specs

For specific vehicle listings go to www.rhinorack.com.au/fitmycar



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PART #	QTY	SUITS	COL	HEIGHT (leg base to underside of crossbar)	ONROAD	OFFROAD	WARR	NOTE
1.0	REMOVABLE								
1.1	ROC25 Flush		VA Bars	B / S	75mm / 3"	75kg	37kg		Masterkey™ compatible
1.2	VA 2500		VA Bars	B / S	110mm / 4.3"	75kg	37kg	Life	Masterkey™ compatible. Compatible with Leg Height Spacers RLKS1 to RLKS5.
1.3	HD 2500		HD Bars	B / S	115mm / 4.5"	75kg	37kg	Life	Masterkey™ compatible. Compatible with Leg Height Spacers RLKS1 to RLKS5 and HD-FK9 100mm Leg Height Spacer.
1.4	EURO 2500		EURO Bars	B	115mm / 4.5"	60kg	30kg	Life	Masterkey™ compatible
2.0	RAIL MOUNT								
2.1	STEALTH (RAISED RAIL)		VA Bars	B / S	N/A, refer note.	80kg	53kg		Sits 35mm above Factory Rails. Masterkey™ compatible
2.2	VORTEX SX (SOLID RAIL)		VA Bars	B / S	60mm / 2.4"	80kg	53kg		Sits up to 90mm above Factory Rails. Masterkey™ compatible.
2.3	VORTEX SX (RAISED RAIL)		VA Bars	B / S	35mm / 1.4"	80kg	53kg		Sits up to 65mm above Factory Rails. Masterkey™ compatible
2.4	CXB (RAISED RAIL)		HD Bars	B / S	40mm / 1.6"	80kg	53kg	5	Sits 70mm above Factory Rails. Masterkey™ compatible. Compatible with Leg Height Spacers CXBS1 to CXBS4
3.0	GUTTERMOUNT								
3.1	SG		Sports Bar	B	110mm / 4.3"	60kg	30kg		110mm height from Roof Gutter to underside of crossbar. Tested and approved to Australian AS1235-2000 standards
3.2	RL		HD/VA Bars	B / S	110mm-280mm/ 4.3"-11"	100kg	66kg		Heights available 110mm, 150mm, 210m, 280mm. Measured from base of leg to underside of HD crossbar, VA crossbar +10mm
3.3	R813 HIGH Leg		HD/VA Bars	B / S	340mm / 13.4"	100kg	66kg	5	Metal construction. 340mm above Roof Gutter excluding Crossbar.
	R814 HIGH Leg		HD/VA Bars	B / S	340mm / 13.4"	100kg	66kg	5	Metal construction. 340mm above Roof Gutter excluding Crossbar.
4.0	TRACKMOUNT								
4.1	RLT600		VA/HD Bars	B / S	HD 75mm/3", VA 70mm/2.8"	100kg	66kg	Life	Compatible with the RTC, RTS tracks and selected Roof Ditch Brackets. Masterkey™ compatible
4.2	RLT500		VA/HD Bars	B / S	HD 75mm/3", VA 83mm/3.3"	100kg	66kg	5	Compatible with the RTC and RTS tracks
4.3	RLTF/RLTP		HD/VA Bars	B / S	50mm-80mm / 2"-3.1"	100kg	66kg	5	50mm and 80mm Leg heights available. Measured from base of leg to underside of HD crossbar, VA crossbar +10mm.
4.4	RSPT		Sports Bar	B	83mm/3.3" + -track height	100kg	66kg	Life	Flush design. Tested and approved to Australian AS1235-2000 standards
5.0	TRACKS								
5.1	RTV	2	RLTP/F, RLT600, RLT500 legs	B	RLTP 63mm/2.5", RLTF 93mm/3.7", RLT600 83mm/3.3", RLT500 88mm/3.5"	100kg	66kg	5	Flat bottomed track designed to sit on the roof of a vehicle
5.2	RTS	2	RLTP/F, RLT600, RLT500 legs	B	RLTP 55mm/2.2", RLTF 85mm/3.3", RLT600 75mm/3", RLT500 80mm/3.1"	100kg	66kg	5	Unique track made for specific vehicles
5.3	RTC	2	RLTP/F, RLT600, RLT500 legs	B	RLTP 65mm/2.6", RLTF 95mm/3.7", RLT600 85mm/3.3", RLT500 90mm/3.5"	100kg	66kg	5	Flat bottomed track designed for Ute Canopies

REF	PART #	QTY	SUITS	COL	HEIGHT (leg base to underside of crossbar)	ONROAD	OFFROAD	WARR	NOTE
10.7	FIXED POINT								
6.2	RCL		VA/HD Bars	B / S	VA 65mm/2.6", HD 70mm/2.8"	100kg	66kg	Life	Overhang style. Requires adaptor for HD bar. Masterkey™ compatible
	RCH		VA/HD Bars	B / S	VA 80mm/3.1", HD 85mm/3.3"	100kg	66kg	Life	Overhang style. Requires adaptor for HD bar. Masterkey™ compatible
6.3	ROC25 FMP		VA/HD/ EURO Bars	B / S	Up to 115mm/4.5" using High Base	75kg	37kg	Life	Suits vehicles with factory threaded mounting points within the roof ditch.
6.4	RVL		VA Bars	B / S	55mm / 2.2"	100kg	66kg	Life	Flush design. Masterkey™ compatible. Tested and approved to Australian AS1235-2000 standards
	RVH		VA Bars	B / S	80mm / 3.1"	100kg	66kg	Life	Flush design. Masterkey™ compatible. Tested and approved to Australian AS1235-2000 standards
	RV		VA Bars	B / S	Up to 115mm/4.5" using High Base	75kg	37kg		
	RSF		Sports Bar	B	60mm / 2.4"	80kg	53kg	Life	Rhino Sportz fixed mount Left/Right handed flush style leg
	RSF2		Sports Bar	B	60mm / 2.4"	80kg	53kg	Life	Low fixed mount RSP style flush style leg
	RSF3		Sports Bar	B	75mm / 3"	80kg	53kg	Life	High fixed mount RSP style flush style leg
7.0	DITCHMOUNT								
	RVL		VA Bars	B / S	55mm / 2.2"	100kg	66kg	5	Flush design. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible. Tested and approved to Australian AS1235-2000 standards
	RVH		VA Bars	B / S	80mm / 3.1"	100kg	66kg	5	Flush design. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible. Tested and approved to Australian AS1235-2000 standards
	RCL		VA/HD Bars	B / S	VA 65mm/2.6", HD 70mm/2.8"	100kg	66kg	5	Overhang style. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible
	RCH		VA/HD Bars	B / S	VA 80mm/3.1", HD 85mm/3.3"	100kg	66kg	5	Overhang style. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible
	2500 FMP		VA/HD/ EURO Bars	B / S	Up to 115mm/4.5" using High Base	75kg	37kg	Life	Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle.



ON ROAD VS OFF ROAD

DAD

WE UNLOAD THE SECRETS OF LOADING

There are a number of things to consider when working out your vehicle's load rating, and we want to help you understand the capacity of your racks and vehicle roof. Firstly, **car manufacturers set the roof top load rating - not roof rack companies.** Our racks and trays are built to withstand immense pressure, to ensure that they'll never crack or fail. In fact, Rhino-Rack products will stand up to far heavier weights than the load capacities of almost any vehicle. But, regardless of your racks or tray, the roof of your vehicle is designed to only support a certain weight, and that is a very important thing to be aware of. **Different vehicles have different ratings.** You need to know the load rating of your vehicle. This information will be easy to find in your vehicle's Owners Manual. If you overload and go off road you're almost definitely going to have problems regardless of the racks you have installed.

"car manufacturers set the roof top load rating - not roof rack companies"

There are a few different load ratings you need to understand. There are static, on-road and off-road ratings for all vehicles that can travel off-road. Vehicles that are limited to on-road travel have a static rating and an on-road rating. These ratings are pretty self-explanatory. A static rating is the load rating of a stationary vehicle, and is necessary if you're using a rooftop tent for example. On-road refers to the load rating of a vehicle when traveling on a sealed road. The off-road load rating refers to a vehicle traveling on a dirt road, or any unsealed surface. Sometimes, manufacturers will list the load ratings in the vehicle's Owners Manual, but there are also ways to

calculate off-road load rating by yourself. For example, the off-road load rating is calculated by taking the on-road rating, minimising the weight of your roof racks or tray, and then dividing this figure by 1.5.

On-Road Load rating, minus rack weight, divided by 1.5

For example if we have a Universal Pioneer Platform on a set of racks with an On-Road load rating of 80kg, Roof Rack weighs 5kg and the Pioneer Weighs 19.5kg
 $80 - 24.5 = 55.5\text{kg}$ divided by 1.5 = 37kg this is the off road load rating.

So you can carry 63.6kg of cargo in this situation.

But remember, if you buy an accessory or holder and attach it to your rack or tray, you must also include the weight of these items in the load.

For some Rhino-Rack Backbone systems the formula changes slightly and rather than dividing by 1.5 you can divide by 1.25. This is due to the load being spread more effectively on the Rhino-Rack Backbone or where there may be more fixing points to the roof and the load is better distributed. Check the Rhino-Rack Backbone for your vehicle to see if this is relevant.

It is very unsafe to overload your vehicle. The "she'll be right" approach is not appropriate in this context, and failure to follow the load ratings in each circumstance will result in damage to your vehicle, potential loss of your load and could cause traffic accidents. It's illegal to overload, and with good reason.



STATIC

When the vehicle is parked or stationary



ON ROAD

Driving on paved or sealed roads



OFF ROAD

Driving on unsealed or dirt roads

INCREASE YOUR LOAD RATING

UP TO 150KGS WITH THE RHINO-RACK BACKBONE SYSTEM



JEEP

THE RHINO-RACK BACKBONE IS THE NEXT LEVEL OF EVOLUTION FOR YOUR VEHICLE'S ROOF. THIS SIMPLE DESIGN IMPROVES ON THE EXISTING LOAD CARRYING CAPACITY WITHOUT COMPROMISING THE LOOK OF YOUR VEHICLE.

The Rhino-Rack BackBone is fitted to the factory roof mounting points and distributes the weight of your luggage more evenly through the body of your vehicle. It's ingeniously simple and perfectly complements our full range of Pioneer platforms. Plus, the Rhino-Rack BackBone enables you to carry up to 150kg on some vehicles. It's made of cast aluminium, powder coated to suit the appearance of your pioneer tray and the Rhino-Rack BackBone has been TRIED, TESTED and OFF ROAD PROVEN. Our name, like our products is synonymous with strength and the survival of the fittest.

8.0 RHINO-RACK BACKBONE

TOYOTA FJ CRUISER



TOYOTA HILUX



TOYOTA LANDCRUISER



TOYOTA PRADO



FORD EVEREST



FORD RANGER



MITSUBISHI TRITON



NISSAN PATROL Y62





VW AMAROK



MAZDA BT50



HOLDEN COLORADO



DISCOVERY4



RHINO-RACK BACKBONE - Tech Specs

For specific vehicle listings go to www.rhinorack.com.au/fitmycar



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

VEHICLE	LEG TYPE(S)	PLATFORM	TRADIE	TRAY	ON ROAD	OFF ROAD	STATIC
JEEP Wrangler JK 4dr 02/11 On	RJKB1 + RLT600	42108B - 1828mm x 1426mm	45108B - 1828mm x 1426mm	N/A	120	80	360
JEEP Wrangler JK 4dr 02/11 On	RJKB1 + RLCP38	42108B - 1828mm x 1426mm	45108B - 1828mm x 1426mm	N/A	120	80	360
JEEP Wrangler JK 2dr 02/11 On	RJKB2 + RLT600	42111B - 1328mm x 1426mm	45111B - 1328mm x 1426mm	N/A	100	67	240
JEEP Wrangler JK 2dr 02/11 On	RJKB2 + RLCP39	42111B - 1328mm x 1426mm	45111B - 1328mm x 1426mm	N/A	100	67	240
TOYOTA FJ Cruiser 03/11 On	RFJB1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	120	96	360
TOYOTA FJ Cruiser 03/11 On	RFJB1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	120	96	360
TOYOTA Land Cruiser 200 Series 11/07 On (incl. roof rails)	RTLB1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	150	120	360
TOYOTA Land Cruiser 200 Series 11/07 On (incl. roof rails)	RTLB1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	150	120	360
TOYOTA Prado 150 Series 11/09 (incl. roof rails)	RTPB1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	120	96	360
TOYOTA Prado 150 Series 11/09 (incl. roof rails)	RTPB1	42102B - 1928mm x 1236mm	45102B - 1928mm x 1236mm	41102 - 1928mm x 1236mm	120	96	360
TOYOTA Hilux Double Cab 10/15 On	RVAB1 + SUB0687 + RTS543	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	67	320
VOLKSWAGEN Amarok Dual Cab 02/11 On	RVAB1	42101B - 1528mm x 1376mm	45101B - 1528mm x 1376mm	41101 - 1528mm x 1376mm	100	80	320
VOLKSWAGEN Amarok Dual Cab 02/11 On	RVAB1	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	80	320
LAND ROVER Discovery 3&4 04/05-06/17	RD4B1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	120	96	360
LAND ROVER Discovery 3&4 04/05-06/17	RD4B1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	120	96	360
LAND ROVER Discovery 3&4 (Short Factory Tracks) 04/05-06/17	RD4B1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	120	96	360
LAND ROVER Discovery 3&4 (Short Factory Tracks) 04/05-06/17	RD4B1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	120	96	360
LAND ROVER Discovery 3&4 (Long Factory Tracks) 04/05-06/17	RD4B1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	120	96	360
LAND ROVER Discovery 3&4 (Long Factory Tracks) 04/05-06/17	RD4B1	42107B - 2128mm x 1236mm	45107B - 2128mm x 1236mm	41107 - 2128mm x 1236mm	120	96	360
NISSAN Patrol Y62 11/12 On	RNPB1	42104B - 2128mm x 1426mm	45104B - 2128mm x 1426mm	41104 - 2128mm x 1426mm	120	96	360
MAZDA BT-50 Dual Cab 11/11 On	RMTB1	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	80	320
MAZDA BT-50 Dual Cab 11/11 On	RFRB1 + RTS525	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	67	320
FORD Ranger PX/ PXII Double Cab 10/11 On	RFRB1 + RTS525	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	67	320
FORD Everest (Flush Rails) 10/15 On	RFEB1	42102B - 1928mm x 1236mm	45102B - 1928mm x 1236mm	41102 - 1928mm x 1236mm	120	96	360
HOLDEN Colorado Crew Cab 06/12 On	RIDB1	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	80	320
HOLDEN Colorado Crew Cab (Roof Rails) 06/15 On	RIDB1	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	80	320
ISUZU D-Max TF Crew Cab 06/12 On	RIDB1	42100B - 1528mm x 1235mm	45100B - 1528mm x 1235mm	41100 - 1528mm x 1235mm	100	80	320

9.0 CANOPY RACK SYSTEMS





**WE SPECIALISE IN ROOF RACKS
TO SUIT THE MOST POPULAR
CANOPYS AND UTILITIES ON
THE MARKET.**

OUR ENGINEERING TEAM TESTS EACH CANOPY
TO ENSURE THEY ARE FITTED WITH THE
STRONGEST, MOST SUITABLE OPTION.

Just because you have added a Canopy on the back of your ute doesn't mean you can't add racks or trays to carry more gear. Choose from our range of leg and bar options or select from our Pioneer range. We have all sorts of cleverly designed accessories, legs and spacers to ensure your load is level and safe. To find the perfect fit for your canopy, go to rhinorack.com.au

AEROKLAS

ARB

FLEXIGLASS

ALPHA

AUTHEUS
Smart Automotive Solutions

CHRYSLER

EGR

CHRYSLER

SAVAMITR

DM



9.1 FIXED MOUNT



9.2 CABIN MOUNT



9.3 FIXED MOUNT



9.4 CANOPY TRACK MOUNT



9.5 QM CANOPY MOUNT



9.6 ARTIFICIAL GUTTER





CUSTOMISE YOUR RHINO-RACK CANOPY SYSTEM

TO SUIT VARYING PROFILES AND CABIN HEIGHTS.



9.7 HD-FK9



9.8 ARB CANOPY POST ADAPTOR





9.9 TJM CANOPY TRACK LEG



9.10 EGR CANOPY POST ADAPTOR



9.11 TRACK ADAPTER PLATE



NEED TO LEVEL THINGS OUT?



LEG HEIGHT SPACERS PERFECT FOR CREATING MORE HEIGHT OR LEVELLING YOUR ROOF RACK CROSSBARS

"Spacers can range from 5-30mm in height and fit a wide variety of our leg types."

Rhino-Rack offers a wide variety of levelling spacers that simply connect onto the leg. The spacers can range from 5-30mm in height and fit a wide variety of our leg types. They also nest in one another to provide a seamless finish and style to the vehicle.

The roof of a vehicle as in most cases has a subtle or dramatic curve from front to rear. When fitting three or more roof bars to a vehicle there is the challenge of maintaining a level working surface. Roof bars that are not level cause serious problems when loading and unloading, as they do not distribute the weight evenly across the vehicle roof which can become a safety concern.

Available for VA and HD bars



CANOPY - Tech Specs

For specific vehicle listings go to www.rhinorack.com.au/fitmycar



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PART#	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WARR	NOTE
LEG KITS								
9.1	RFMP5	FIXED MOUNT	50mm / 1.97"	-	HD	RLTP	5	GE backing plate (included); VA BAR REQUIRES VA-FK1. High profile design, ideal for highly curved roofs or levelling bars
9.1	RFMC	RHINO FIXED MOUNT CANOPY LEG SET	100mm / 3.9"	-	HD	RLTF	5	Suits steel canopies. VA BAR REQUIRES VA-FK1
9.3	RFMC2	FIXED MOUNT	80mm / 3.15"	-	HD	RLCP HIGH	5	High profile design, ideal for highly curved roofs or levelling bars; VA BAR REQUIRES VA-FK2
9.3	RFMP52	FIXED MOUNT RLCP LEGS LOW (2PCS)	80mm / 3.15"	-	HD	RLCP	5	Suits steel canopies; VA BAR REQUIRES VA-FK2 Only to be used with RLT600/RLT600H Legs
GUTTERS								
9.6	739A	FALSE GUTTER SET	18mm / 0.7"	165 mm / 6.5"	HD	RL	3	VA BAR REQUIRES VA-FK1
9.6	739AHALF	FALSE GUTTER SET HALF	18mm / 0.7"	166 mm / 6.5"	HD	RL	3	VA BAR REQUIRES VA-FK1. Used in conjunction with 2 x rear ute posts or canopy racks
TRACK KITS								
9.2	ARKT01	AEROKLAS TRACK SET RANGER 1.1M	-	1100	VA, HD	RLT500, RLT600	5	Allows connection to any standard Gutter mount leg
9.2	ARKT02	AEROKLAS TRACK SET RANGER S/CAB 1.3M	-	1300	VA, HD	RLT500, RLT600	5	Fits of Rhino-Rack Vortex onto ARB Ute Posts.
9.2	ARKT03	AEROKLAS TRACK SET NAVARA D/C 11/85-	-	920	VA, HD	RLT500, RLT600	5	Fits of Rhino-Rack Heavy Duty onto ARB Ute Posts.
9.2	ARKT04	AEROKLAS TRACK SET TRITON D/C 07/06	-	1075	VA, HD	RLT500, RLT600	5	Fits of Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts.
9.2	ARKT05	AEROKLAS TRACK SET HILUX VIGO D/C 04/05-	-	1075	VA, HD	RLT500, RLT600	5	Fits of Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
9.2	ARKT06	AEROKLAS TRACK SET AMAROK D/C 02/11	-	920	VA, HD	RLT500, RLT600	5	Fits of Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
9.2	ARKT07	AEROKLAS TRACK SET TRITON D/C 04/15	-	920	VA, HD	RLT500, RLT600	5	Fits to the factory fitted track supplied with early model TJM Canopies
9.2	ARKT08	AEROKLAS TRACK SET NP300 D/C 07/15	-	920	VA, HD	RLT500, RLT600	5	
9.2	ARKT09	AEROKLAS TRACK SET HILUX D/C 10/15	-	920	VA, HD	RLT500, RLT600	5	
9.4	RTC10	CANOPY/UTE TRACK SET 1.0 MTR BLACK	-	1000	-	-	5	
9.4	RTC12	CANOPY/UTE TRACK SET 1.2 MTR BLACK	-	1200	-	-	5	
9.4	RTC12JW	JEEP WRANGLER TJ 2DR CANOPY	-	1200	-	-	5	
9.4	RTC14	CANOPY/UTE TRACK SET 1.4 MTR BLACK	-	1400	-	-	5	
9.4	RTC16	CANOPY/UTE TRACK SET 1.6 MTR BLACK	-	1600	-	-	5	
9.4	RTC18	CANOPY/UTE TRACK SET 1.8 MTR BLACK	-	1800	-	-	5	
9.4	RTCFG01	FLEXI SPORT DUAL CAB TRACKS SET 838MM	-	838	-	-	5	
9.4	RTCFG02	FLEXIXOVER CANOPY TRACKS SET 1M	-	1000	-	-	5	
9.4	RTCFG03	FLEXIXOVER CANOPY TRACKS SET 1.1M	-	1100	-	-	5	Not to be used as a 2 bar system under a load bearing cross bar
9.2	RTS530	1.1M FULLY EQUIP D/CAB CANOPY TRACK (IPR)	-	1100	-	RLT500, RLT600	5	
9.2	RTS539	FLEXI TRADE 1200MM TRACK	-	1200	-	RLT500, RLT600	5	
9.2	RTS550	EGR DUAL CAB CANOPY TRACK SET	-	920	-	RLT500, RLT600	5	
9.2	RTS553	SAMMITR CANOPY TRACK SET 940MM	-	940	-	RLT500, RLT600	5	

CANOPY - Tech Specs



For specific vehicle listings go to www.rhinorack.com.au/fitmycar



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PART#	DESCRIPTION	HEIGHT	LENGTH (mm)	BAR TYPE	LEG TYPE	WARR	NOTE
MOUNTING KITS								
	RFMRL	CABIN MOUNT	25mm / 1"	215mm / 8.5"	-	RL	5	
9.5	QMCM01	QM CANOPY MOUNT	105mm / 4.1"	-	-	RLT600	5	Only to be used with RLT600/RLT600H Legs
9.5	QMCM02	QM CANOPY MOUNT	105mm / 4.1"	-	-	RLT600	5	Only to be used with RLT600/RLT600H Legs
9.7	HD-FK9	JB SPACER/HEIGHT ADJUSTER	100mm / 3.9"	-	HD	2500	3	Used in conjunction with 2 x rear ute posts or canopy racks
	RCP52-BK	RFMPC2 BASE KIT (2PCS) CANOPY MOUNT	-	-	VA	RVL, RVH	5	
	RCP54-BK	RFMC2 BASE KIT (2PCS) CANOPY MOUNT	-	-	VA	RVL, RVH	5	
	RTC16-FK	CANOPY/UTE TRACK SET 1.6 MTR FIT KIT	-	1600	-	-	5	
9.11	RTRL	TRACK ADAPTER PLATE	15mm / 0.6"	165mm / 6.5"	HD	RL	5	Allows connection to any standard gutter mount leg
POST KITS								
9.8	ARB-AERO	ARB CANOPY POST ADAPTOR	10mm / 0.4"	40mm / 1.6"	VA	-	5	Fits of Rhino-Rack Vortex onto ARB Ute Posts.
9.8	ARB-HD	ARB CANOPY POST ADAPTOR	25mm / 1"	45mm / 1.8"	HD	-	5	Fits of Rhino-Rack Heavy Duty onto ARB Ute Posts.
9.8	ARB-ASHD	ARB CANOPY POST ADAPTOR	10mm / 0.4"	50mm / 2"	HD	-	5	Fits of Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts.
9.10	EGR-HD	EGR CANOPY POST ADAPTOR	-	-	HD	-	5	Fits of Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
9.10	EGR-VA	EGR CANOPY POST ADAPTOR	2mm / 0.08"	58mm / 2.3"	VA	-	5	Fits of Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
SPACERS / ADAPTORS								
	LHS-A1PAIR	2 X 10MM LEG HEIGHT SPACERS	10mm	-	VA	RL, RLCP, RLTP, RLTF	5	Incl: 2 x M6 x 45mm Bolts
	LHS-A2PAIR	4 X 10MM LEG HEIGHT SPACERS	10mm	-	VA	RL, RLCP, RLTP, RLTF	5	Incl: 2 x M6 x 55mm Bolts
	LHSPAIR	2 X 10MM LEG HEIGHT SPACERS	10mm	-	HD	RL, RLCP, RLTP, RLTF	5	Incl: 2 x M10 x 35mm Bolts
	LHS2PAIR	4 X 10MM LEG HEIGHT SPACERS	10mm	-	HD	RL, RLCP, RLTP, RLTF	5	Incl: 2 x M10 x 45 mm Bolts
	LHSPIV	PIVOTING LEG HEIGHT SPACER	-	-	VA, HD	RL, RLCP, RLTP, RLTF	5	Incl: 4 Adapters in Kit
	CXBS1	6MM CXB SPACER SET	6mm / 0.2"	-	HD	CXB	5	
	CXBS2	12MM CXB SPACER SET	12mm / 0.5"	-	HD	CXB	5	
	CXBS3	18MM CXB SPACER SET	18mm / 0.7"	-	HD	CXB	5	
	CXBS4	24MM CXB SPACER SET	24mm / 0.9"	-	HD	CXB	5	

REF	PART#	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WARR	NOTE
	RLKS1	2 X 10MM SPACER BLOCKS	10mm / 0.4"	-	VA	RLK 2500	5	Not to be used as a 2 bar system under a load bearing cross bar
	RLKS2	4 X SPACER BLOCKS MAX HEIGHT 18MM	18mm / 0.7"	-	VA	RLK 2500	5	
	RLKS3	6 X SPACER BLOCKS MAX HEIGHT 26MM	26mm / 1"	-	VA	RLK 2500	5	
	RLKS4	8 X SPACER BLOCKS MAX HEIGHT 34MM	34mm / 1.3"	-	VA	RLK 2500	5	
	RLKS5	10 X SPACER BLOCKS MAX HEIGHT 42MM	42mm / 1.7"	-	VA	RLK 2500	5	
	QMHD05	4 X SPACER BLOCKS MAX HEIGHT 5MM	5mm / 0.2"	-	HD	RLT600	5	
	QMVA05	5MM QUICK MOUNT BASE WEDGE	5mm / 0.2"	-	VA	RLT600	5	
	QMW05	QUICK MOUNT BASE WEDGE 5MM (PR)	5mm / 0.2"	-	-	RLT600	5	
	QMHD10	4 X SPACER BLOCKS MAX HEIGHT 10MM	10mm / 0.4"	-	HD	RLT600	5	
	QMVA10	10MM QUICK MOUNT BASE WEDGE	10mm / 0.4"	-	VA	RLT600	5	
	QMW10	QUICK MOUNT BASE WEDGE 10MM (PR)	10mm / 0.4"	-	-	RLT600	5	
	QMHD15	4 X SPACER BLOCKS MAX HEIGHT 15MM	15mm / 0.6"	-	HD	RLT600	5	
	QMVA15	QUICK MOUNT 15MM VA SPACER	15mm / 0.6"	-	VA	RLT600	5	
	QMHD20	4 X SPACER BLOCKS MAX HEIGHT 20MM	20mm / 0.8"	-	HD	RLT600	5	
	QMVA20	QUICK MOUNT 20MM VA SPACER	20mm / 0.8"	-	VA	RLT600	5	
	QMHD25	4 X SPACER BLOCKS MAX HEIGHT 25MM	25mm / 1"	-	HD	RLT600	5	
	QMVA25	4 X SPACER BLOCKS MAX HEIGHT 25MM	25mm / 1"	-	VA	RLT600	5	
	QMHD30	4 X SPACER BLOCKS MAX HEIGHT 30MM	30mm / 1.2"	-	HD	RLT600	5	
	PLHS1	PIONER LHS SUIT 42108 ON JK JEEP	75mm / 3"	-	PIONEER	RL, RLTP, RLTF, RLCP	5	
	PLHS2	PIONEER LEG HEIGHT SPACERS	75mm / 3"	-	PIONEER	RL, RLTP, RLTF, RLCP	5	
	PLHSPAIR	PIONEER LEG HEIGHT SPACER (PAIR)	75mm / 3"	-	PIONEER	RL, RLTP, RLTF, RLCP	5	
	PLHS3	PIONEER 5MM LEG HEIGHT SPACER	5mm / 0.2"	-	PIONEER	RL, RLTP, RLTF, RLCP	5	



**ROOF RACKS THAT ARE NOT LEVEL CAN
RESULT IN SERIOUS SAFETY ISSUES**

PIONEER RANGE

- 34 Pioneer Platform
- 34 Pioneer Tradie
- 35 Pioneer Tray
- 35 Universal Pioneer Platform
- 36 Pioneer Tech Specs
- 38 Pioneer Accessories
- 38 Pioneer AccessoriesTech Specs



PIONEER

TOUGH. ORIGINAL. PROVEN.

DON'T TRAVEL THE PATH OF ANOTHER
PIONEER YOUR OWN

In 2010 Rhino-Rack changed the way you carry gear on road and off road with the introduction of the Pioneer Platform and Pioneer Tray.

Our passion for adventure began long before with a range of steel mesh platforms and baskets, AT trays and an increasing hunger for solution-finding. Since the introduction of our Pioneer range, we have developed hundreds of accessories to help you take your gear on just about any adventure. From serious 4WD adventures to loads of gear for the work-site or just making sure your sport and leisure equipment arrives safe and sound, Rhino-Rack Pioneer systems have got it covered.

With over 20 years of 4WD driving experience, testing and experimentation, Rhino-Rack will continue to develop tough, useful products to help you on your next adventure. Say G'day when you see us out there!





THE ORIGINAL. THE BEST.

Designed to make it easier for you, the Rhino-Rack Pioneer range was another world first for Rhino-Rack. Made from aluminium and fiberglass re-enforced nylon the Pioneer range is lightweight and strong, durable enough to endure any environment and flexible enough to carry almost anything. Don't be fooled by cheap imitations or products made of steel, these will just cost you more in the long run and are bound to let you down.

10.1 PIONEER PLATFORM

FACTORY RAIL FIT AVAILABLE



NB: Rhino-Rack leg kits and SX leg kits suit specific vehicles & are sold separately. Contact your local dealer or visit our website for model listings.



- Australia's best selling platform roof rack
- Low clearance
- Easy assembly
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Cross bars built in
- Optional rail systems available
- Largest range of accessories to suit

10.2 PIONEER TRADIE



The Pioneer Tradie is the ideal solution for those who need to carry a wide variety of gear on their roof. With its open front and rear you can easily load ladders, pipes or long objects and support against the sides.

- Open front and rear
- Alloy
- Welded rails
- Designed to minimise wind and noise on the road
- Non corrosive so it won't rust or fade
- Made from strong and durable materials
- Full range of Rhino-Rack accessories

NB: Rhino-Rack leg kits to suit specific vehicles are sold separately.

10.3 PIONEER TRAY



- Alloy
- Welded rails
- Alloy front wind fairing
- Tried and proven flexible glass re-enforced nylon components
- 5 year warranty
- Black powder coated finish for improved appearance and corrosion resistance
- Full range of accessories available

NB: Rhino-Rack leg kits to suit specific vehicles are sold separately. Visit our website for new model listings.

10.4 UNIVERSAL PIONEER PLATFORM



Universal clamp mount included

Our universal clamping system means that any roof racks can now suit Australia's most popular luggage tray.

- Universal clamping system to suit the most popular roof racks on the market
- Australia's best selling platform roof rack
- Low clearance
- Easy assembly
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Optional rail systems available
- Largest range of accessories to suit

PIONEER - Tech Specs

For specific vehicle listings go to www.rhinorack.com.au/fitmycar



Check your vehicle manufacturer's handbook
for your car's **ROOF LOAD RATING**

REF	DESCRIPTION	PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (kg)	WEIGHT (lbs)
10.1	PLATFORM	42100B, 44100B	1528 x 1236mm [61" x 48"]	NA	17.5	38.57
10.1	PLATFORM	42101B, 44101B	1528 x 1376mm [61" x 54"]	NA	20.5	45.182
10.1	PLATFORM	42108B	1828 x 1426mm [72" x 56"]	NA	25.5	56.202
10.1	PLATFORM	42102B, 44102B	1928 x 1236mm [76" x 48"]	NA	24	53.998
10.1	PLATFORM	42103B, 44103B	1928 x 1376mm [76" x 54"]	NA	27	46.284
10.1	PLATFORM	42104B	2128 x 1426mm [84" x 56"]	NA	30	66.12
10.1	PLATFORM	42105B	2728 x 1465mm [107" x 58"]	NA	38.5	84.854
10.1	PLATFORM	42107B	2128 x 1236mm [84" x 48"]	NA	24.5	53.998
10.1	PLATFORM	42108B	1828 x 1426mm [72" x 56"]	NA	25.5	56.202
10.1	PLATFORM	42109B	1328 x 1236mm [52" x 48"]	NA	16	35.264
10.1	PLATFORM	42110B	1328 x 1376mm [52" x 54"]	NA	18	39.672
10.1	PLATFORM	42111B	1328 x 1426mm [52" x 56"]	NA	19.5	42.978
10.1	PLATFORM	42112B	928 x 1426mm [36" x 56"]	NA	14.5	31.958
10.1	PLATFORM	42119BF	2528 x 1586mm/99" x 62"	NA	40	88.16
10.2	TRADIE	45100B	1528 X 1236mm [61" x 48"]	NA	21.5	47.386
10.2	TRADIE	45101B	1528 X 1376mm [61" x 54"]	NA	22.5	49.59
10.2	TRADIE	45102B	1928 X 1236mm [76" x 48"]	NA	26.5	58.406
10.2	TRADIE	45103B	1928 X 1376mm [76" x 54"]	NA	29.5	65.018
10.2	TRADIE	45104B	2128 X 1426mm [84" x 56"]	NA	32.5	71.63
10.2	TRADIE	45107B	2128 X 1236mm [84" x 48"]	NA	27.5	60.61
10.2	TRADIE	45108B	1426 X 1828mm [72" x 56"]	NA	28	61.712
10.2	TRADIE	45109B	1236 X 1328mm [52" x 48"]	NA	17.5	38.57
10.2	TRADIE	45110B	1376 X 1328mm [52" x 54"]	NA	19.5	42.978
10.2	TRADIE	45111B	1426 X 1328mm [52" x 56"]	NA	21	46.284
10.3	TRAY	41100	1520 x 1260mm [59" x 49"]	1400 x 1140mm [55" x 45"]	22	48.488
10.3	TRAY	41101	1520 x 1400mm [59" x 55"]	1400 x 1280mm [55" x 50"]	22.5	49.59
10.3	TRAY	41102	1920 x 1260mm [75" x 49"]	1800 x 1140mm [71" x 45"]	29	63.916
10.3	TRAY	41103	1920 x 1400mm [75" x 55"]	1800 x 1280mm [71" x 50"]	32.5	71.63
10.3	TRAY	41104	2120 x 1450mm [83" x 57"]	2000 x 1330mm [79" x 52"]	36	79.344
10.3	TRAY	41107	2120 x 1260mm [83" x 49"]	2000 x 1140mm [79" x 45"]	30	66.12
10.4	UNIVERSAL PLATFORM	42115BF	1478 x 1184mm [58" x 46"]	NA	17	37.468
10.4	UNIVERSAL PLATFORM	42114BF	1228 x 952mm [48" x 37"]	NA	12	26.448

GO FURTHER STAY LONGER

OUR PIONEER ACCESSORIES
ARE OFFROAD PROVEN





11.0 PIONEER RAILS

OPTIONAL SIDE RAILS ALLOW YOU TO CONFIGURE YOUR PLATFORM IN THE BEST WAY TO SUIT YOUR LOAD

Rails can be mounted to all planks in any location with our "C" channel mounting system.

We have rails to suit all size of Pioneer Platforms. For details on the rail that best suits your tray, talk to your local Rhino-Rack dealer or go to www.rhinorack.com.au



11.2 SIDE RAIL



11.3 FRONT & SIDE RAIL



11.1 FULL RAIL


12.0 PIONEER ACCESSORIES



**WE MAKE IT SO
YOU CAN TAKE IT**

12.1 PIONEER ACCESSORY BAR

With the simple addition of a pair of Pioneer Accessory Bars, you can install the full range of accessories on your Pioneer System including: Bike Carriers, Kayak Carriers, Ski and Snowboard Carriers as well as Roof Boxes.





12.2 RATCHET GRAB



12.3 MULTI-PURPOSE HOLDER BRACKET



12.4 SHOVEL HOLDER BRACKET



12.5 HIGH LIFTING JACK BRACKET



**12.6 HIGH LIFTING JACK &
SHOVEL BRACKET KIT**



12.7 EYE BOLT KIT



12.8 CONDUIT LOCKING END CAP



12.9 CONDUIT CLAMPS



12.10 SHOVEL/SPADE/AXE BRACKET



12.11 PLATFORM ROLLER



12.12 CABLE CORE LOCKDOWN




12.13 HD CABLE CORE LOCKDOWN




12.14 LUGGAGE BAGS



12.15 AWNING BRACKETS



12.16 RECOVERY TRACK SIDE ANGLE BRACKET



12.17 RECOVERY TRACK FLAT BRACKET



12.18 ROTOPAX FIT KIT



12.19 WRAP PADS



12.20 PICKUP KIT



12.21 ADJUSTABLE LOAD HOLDER



12.22 JERRY CAN HOLDERS



12.23 RHINO GAS BOTTLE HOLDER



12.24 RHINO SPARE WHEEL STRAP



12.25 LIGHT BRACKETS




12.26 ALUMINIUM FOLDING LADDER

The Aluminium Folding Ladder connects to the edge of your Pioneer Systems using a specific mounting bracket fixed with bolts for added stability. The mounting bracket can be installed on any side of the vehicle as desired. The ladder unfolds at an angle to prevent contact with your vehicle.

Constructed from Aluminium with a black powder coat finish, the Aluminium Folding Ladder is built strong and durable to last a lifetime without rusting. The ladder folds down to 1060mm for compact storage and can be used with RUFLB for convenient storage outside the vehicle.

Features:

- For use with Rhino-Rack Pioneer Systems
- Alloy construction with cast steel hinges
- Wide feet (70mm / 2.7") are perfect for use on soft ground
- Adjustable feet extend to 325mm (19.7") to ensure stability on uneven ground
- Maximum ladder length 2325mm (91.5")
- Maximum load rating of 125kg (275lb)
- Ladder folds to 1060mm (41.7")
- Mounting brackets and hardware included
- Additional brackets sold separately Part # 43217 #RUFLB
- Load rating 125kg/275lb)



12.27 ALUMINIUM FOLDING LADDER BRACKET

- Allows attachment of the Aluminium Folding Ladder to your Pioneer System
- Fits all Pioneer Systems
- Made from strong, non-corrosive powder coated steel
- Easy installation



12.28 PIONEER LADDER MOUNT



12.29 RHINO-RACK WHEEL STEP




12.30 RHINO-RACK STEEL SHOVEL



12.31 RHINO-RACK SPADE

BRACKETS ARE OUR THING.



For a full range of brackets
go to page 101

PIONEER ACCESSORIES - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART #	SUITS	QTY	DIM	WARR	WEIGHT	NOTE
11.1	SIDE RAIL	43140B	42100B / 42101B / 44100B / 44101B	2	900mm / 35.43"	3	3.6kg / 7.9lbs	Specifically designed for different sized Pioneer Platforms
11.1	SIDE RAIL	43141B	42100B / 42101B / 42102B / 42103B / 42104B	2	1500mm / 59"	3	4.2kg / 9.3lbs	Cut rails to suit. Refer to fitting instructions
11.1	SIDE RAIL	43142B	42105B	2	2100mm / 82.67"	3	5kg / 11lbs	Specifically designed for different sized Pioneer Platforms
11.1	SIDE RAIL	43144B	42102B / 42103B / 44102B / 44103B	2	1300mm / 51.18"	3	4kg / 8.8lbs	Specifically designed for different sized Pioneer Platforms
11.1	SIDE RAIL	43145B	42108B	2	1200mm / 47.24"	3	3.9kg / 8.6lbs	Specifically designed for different sized Pioneer Platforms
11.1	SIDE RAIL	43146B	42109B / 42110B / 42111B	2	700mm / 27.56"	3	3.4kg / 7.5lbs	
11.1	SIDE RAIL	43147B	42112B	2	1200mm / 11.81"	3	3.9kg / 8.6lbs	
11.1	SIDE RAIL	43148B	42113B	2	1350mm / 53.15"	3	4kg / 8.8lbs	
11.1	SIDE RAIL	43149B	42114B	2	600mm / 23.63"	3	3.3kg / 7.3lbs	
11.1	SIDE RAIL	43200B	42115B	2	850mm / 33.46"	3	3.6kg / 7.9lbs	
11.2	FRONT & SIDE RAIL	43160B	42100B / 42101B / 42102B / 42103B / 42104B	1	1152mm / 45.35"	3	2.9kg / 6.4lbs	Cut rails to suit. Refer to fitting instructions
11.2	FRONT & SIDE RAIL	43161B	42105B	1	1191mm & 750mm (46.9" & 29.5")	3	3.1kg / 6.8lbs	
11.2	FRONT & SIDE RAIL	43163B	42100B / 42102B / 42107B	1	962mm & 400mm (37.9" & 15.8")	3	2.3kg / 5.1lbs	
11.2	FRONT & SIDE RAIL	43164B	42101B / 42103B	1	1102mm & 400mm (43.4" & 15.8")	3	2.8kg / 6.2lbs	
11.2	FRONT & SIDE RAIL	43165B	42114B	1	678mm & 400mm (26.7" & 15.8")	3	1.7kg / 3.7lbs	
11.2	FRONT & SIDE RAIL	43166B	42115B	1	910mm & 410mm (35.8" & 16.1")	3	2.2kg / 4.9lbs	
11.3	FULL RAIL	43180B	42100B / 44100B	1	1226mm side x 962mm end (48.3" x 37.9")	3	4.6kg / 10.1lbs	
11.3	FULL RAIL	43181B	42101B / 44101B	1	1226mm side x 1102mm end (48.3" x 43.4")	3	5.1kg / 11.2lbs	
11.3	FULL RAIL	43182B	42102B / 44102B	1	1626mm side x 962mm end (64" x 37.9")	3	5.9kg / 13lbs	
11.3	FULL RAIL	43183B	42103B / 44103B	1	1626mm side x 1102mm end (64" x 43.4")	3	6.4kg / 14.1lbs	
11.3	FULL RAIL	43184B	42104B	1	1826mm side x 1152mm end (71.9" x 45.4")	3	7.2kg / 15.9 lbs	
11.3	FULL RAIL	43185B	42105B	1	2426mm side x 1191mm end (95.5" x 46.9")	3	9.3kg / 20.5lbs	
11.3	FULL RAIL	43187B	42107B	1	1826mm side x 962mm end (71.9" x 37.9")	3	6.7kg / 14.8lbs	
11.3	FULL RAIL	43188B	42108B	1	1526mm side x 1152mm end (60.1" x 45.4")	3	6.2kg / 13.7lbs	
11.3	FULL RAIL	43189B	42114B	1	962mm side x 678mm end (37.9" x 26.7")	3	2.8kg / 6.2lbs	
11.3	FULL RAIL	43201B	42115B	1	1176mm side x 910mm end (46.3" x 35.8")	3	4.5kg / 9.9lbs	
11.3	FULL RAIL	43227B	42109B	1	1026mm side x 962mm end (40.4" x 37.9")	3	4kg / 8.8lbs	
11.3	FULL RAIL	43228B	42110B	1	1026mm side x 1102mm end (40.4" x 43.4")	3	4.5kg / 9.9lbs	
11.3	FULL RAIL	43229B	42111B	1	1026mm side x 1152mm end (40.4" x 45.4")	3	4.3kg / 9.5lbs	
11.3	FULL RAIL	43230B	42112B	1	626mm side x 1152mm end (24.6" x 45.4")	f	3.7kg / 8.2lbs	
11.3	FULL RAIL	43231B	42113B	1	1226mm side x 1152mm end (48.3" x 45.4")	3	4.9kg / 10.8lbs	

REF	PRODUCT	PART #	SUITS	QTY	DIM	WARR	WEIGHT	NOTE
12.1	PIONEER ACCESSORY BAR	43119B	42100B, 42102B, 42107B, 42109B, 44100B, 44102B, 45100B, 45102B, 45107B, 45109B,	2	1220mm / 48"	1	3.2kg / 7.1lbs	HD Bar accessories. Attaches into the 'C' Channel
12.1	PIONEER ACCESSORY BAR	43120B	42101B, 42103B, 42104B, 42105B, 42108B, 42110B, 42111B, 42112B, 44101B, 44103B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	1	3.6kg / 7.9lbs	HD Bar accessories. Attaches into the 'C' Channel
12.1	PIONEER ACCESSORY BAR	43137B	42100B, 42102B, 42107B, 42109B, 44100B, 44102B, 45100B, 45102B, 45107B, 45109B,	2	1220mm / 48"	3	3.3kg / 7.3lbs	VA Bar accessories. Attaches into the 'C' Channel
12.1	PIONEER ACCESSORY BAR	43138B	42101B, 42103B, 42104B, 42105B, 42108B, 42110B, 42111B, 42112B, 44101B, 44103B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	3	3.7kg / 8.2lbs	VA Bar accessories. Attaches into the 'C' Channel
12.2	RATCHET GRAB	43139	PIONEER	1		1	1.2kg / 2.6lbs	
12.3	MULTI-PURPOSE HOLDER BRACKET	31114	PIONEER / FOXWING / SUNSEEKER	2	74.4mm x 92mm x 69mm (2.9" x 3.6" x 2.7")	3	0.5kg / 1.1lbs	
12.4	SHOVEL HOLDER	43103	PIONEER	1	44mm / 1.7" shovel diameter	3	0.8kg / 1.8lbs	
12.5	HIGH LIFTING JACK	43101	PIONEER	1	310mm x 180mm x 80mm (12.2" x 7.1" x 3.1")	3	1.7kg / 3.7lbs	
12.6	HIGH LIFTING JACK/SHOVEL HOLDER	43157	PIONEER	1	250mm x 165mm x 90mm (9.8" x 6.5" x 3.5")		2.7kg / 6lbs	
12.7	EYE BOLT KIT	43106	PIONEER	2		1	Not Currently Listed on Web. Last Made 6/17	
	EYE BOLT KIT	43178	PIONEER	4	60 x 65mm	1	0.9kg / 2lbs	
12.8	CONDUIT LOCKING END CAP	LSE100H	NA	1	100mm / 3.9" conduit size	5	0.5kg / 1.1lbs	Maximum carrying capacity 15kg/33lb
	CONDUIT LOCKING END CAP	LSE100	NA	2	100mm / 3.9" conduit size	5	1kg / 2.2lbs	Maximum carrying capacity 15kg/33lb
12.9	CONDUIT CLAMP	BC2	HD BAR	2	255mm x 155mm x 55mm (10" x 6.1" x 2.2")	3	0.7kg / 1.5lbs	
12.10	PIONEER SHOVEL/SPADE/ AXE MOUNTING BRACKET	43218	PIONEER/VA BARS	2	28-37mm (1.1"-1.5") grip diameter range	na	1.4kg / 3.1lbs	
12.11	ROLLER	43129	42107B, 42102B, 42100B, 42109B, 45100B, 45102B, 45107B, 45109B	1	1070mm / 42"	3	2.44kg / 5.4lbs	Not suitable for Pioneer Trays
12.11	ROLLER	43130	42101B, 42103B, 42110B, 45101B, 45103B, 45110B	1	1210mm / 48"	3	2.65kg / 5.8lbs	Not suitable for Pioneer Trays
12.11	ROLLER	43131	42104B, 42108B, 42111B, 42112B, 45104B, 45108B, 45111B	1	1260mm / 50"	3	2.7kg / 6lbs	Not suitable for Pioneer Trays
12.11	ROLLER	43176	42105B	1	1299mm / 51"	3	2.9kg / 6.4lbs	Not suitable for Pioneer Trays

PIONEER ACCESSORIES - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART #	SUITS	QTY	DIM	WARR	WEIGHT	NOTE
12.12	CABLE CORE LOCKDOWN	43205	PIONEER/VA	1	0.6m / 1'11"	3	0.3kg / 0.7lbs	
12.12	CABLE CORE LOCKDOWN	43206	PIONEER/VA	1	1.2m / 3'11"	3	0.35kg / 0.77lbs	
12.12	CABLE CORE LOCKDOWN	43207	PIONEER/VA	1	1.8m / 5'11"	3	0.4kg / 0.9lbs	
12.13	CABLE CORE LOCKDOWN	43208	HD BAR	1	0.6m / 1'11"	3	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.13	CABLE CORE LOCKDOWN	43209	HD BAR	1	1.2m / 3'11"	3	0.4kg / 0.9lbs	
12.13	CABLE CORE LOCKDOWN	43210	HD BAR	1	1.8m / 5'11"	3	0.5kg / 1.1lbs	
12.14	WEATHERPROOF LUGGAGE BAG (200L)	LB200	BASKET / ALLOY TRAY / PIONEER		1400 x 500 x 300mm /55.1" x 19.7" x 11.8"	1	3kg / 6.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.14	WEATHERPROOF LUGGAGE BAG (250L)	LB250	BASKET / ALLOY TRAY / PIONEER		1100 x 800 x 300mm /43.3" x 31.5" x 11.8"	1	3.2kg / 7.1lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.14	WEATHERPROOF LUGGAGE BAG (350L)	LB350	BASKET / ALLOY TRAY / PIONEER		1200 x 960 x 300mm /47.2" x 37.8" x 11.8"	1	3.9kg / 8.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.14	WEATHERPROOF LUGGAGE BAG (500L)	LB500	BASKET / ALLOY TRAY / PIONEER		1500 x 1100 x 300mm /59" x 43.3" x 11.8"	1	5kg / 11lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.14	WEATHERPROOF LUGGAGE BAG (600L)	LB600	BASKET / ALLOY TRAY / PIONEER		1800 x 1100 x 300mm /70.9" x 43.3" x 11.8"	1	5.7kg / 12.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.15	AWNING BRACKET	43100	PIONEER / FOXWING / SUNSEEKER	2	120 x 60 x 140mm /4.7" x 2.4" x 5.5"	3	0.8kg / 1.8lbs	Hole distance 100mm
12.16	PIONEER RECOVERY TRACK SIDE BRACKET	43159	PIONEER	2	320mm / 12.6" in length	na	2.2kg / 4.9lbs	When fitting 3 or 4 tracks, the Pioneer Recovery Support Bracket Part No: 43197 is required
12.16	PIONEER RECOVERY SUPPORT BRACKET	43197	PLATFORM / TRADIE		294mm x 70mm x 5mm	3	0.77kg / 1.7lbs	Bracket not required for Pioneer Tray as the railings supplies the necessary support
12.17	RECOVERY TRACK FLAT BRACKET	43235	PIONEER	2	380mm x 105mm x 105mm /15" x 4.1" x 4.1"	3	1.92kg / 4.23lbs	
12.18	PIONEER ROTOPAX FIT KIT	43203	PIONEER	1	na	3	0.2kg / 0.5lbs	
12.19	WRAP PAD	43150	NA	2	700mm / 27.6"	1	0.7kg / 1.5lbs	
12.20	RATCHET PICK UP KIT	43175	PIONEER	2	1.8m / 70.9" strap length	1	1kg / 2.2lbs	Lashing Capacity 225kg/496lb
12.20	CAM BUCKLE PICK UP KIT	43179	PIONEER	2	2.2m / 86.6" strap length	1	0.7kg / 1.5lbs	Lashing Capacity 225kg/496lb
12.21	ADJUSTABLE LOAD HOLDER	RLH2	VA BARS	2	160 x 85 x 65mm	3	0.3kg / 0.7lbs	Allows the profile to be minimised to 130mm

REF	PRODUCT	PART#	SUITS	QTY	DIM	WARR	WEIGHT	NOTE
	VERTICAL JERRY CAN	43107	PIONEER	1	480 x 240 x 210mm	1	3.1kg / 6.8lbs	HOLDS: 1X JERRY CAN
	HORIZONTAL JERRY CAN	43108	PIONEER	1	585 x 205 x 140mm	1	3kg / 6.6lbs	HOLDS: 1X JERRY CAN
12.22	DOUBLE VERTICAL JERRY CAN	43151	PIONEER	1	460 x 380 x 190mm	1	3.7kg / 8.2lbs	HOLDS: 2X JERRY CAN. Suits most 20L and 10L metal or plastic jerry cans
	DOUBLE HORIZONTAL JERRY CAN	43152	PIONEER	1	610 x 380 x 130mm	1	3.6kg / 7.9lbs	HOLDS: 2X JERRY CAN. Suits most 20L and 10L metal or plastic jerry cans
12.23	GAS BOTTLE HOLDER	RGBH4	PIONEER	1	220 x 45 x 25mm, BAG 240 x 170mm	1	1.25kg / 2.76lbs	SUITS MOST 4.0L GAS BOTTLES
12.24	RHINO SPARE WHEEL STRAP	RSWS	PIONEER	1	145 x 60 x 40mm, BAG 200 x 160mm		0.7kg / 1.5lbs	Eye Bolt Kit (3) part# 43117 required (sold separately)
	LED LIGHT BRACKET	43156	PIONEER	2	1 X LED BAR / 2X SPOT - 300mm x 105mm x 44.5mm (11.8" x 4.1" x 1.8")		1.9kg / 4.2lbs	HOLDS: 1X LED BAR / 2X SPOT
12.25	LED LIGHT BRACKET	43173	VA/HD, WHISPBAR HD, ROLA HD	2	175 x 100 x 50mm, BAG 220 x 170mm		1.08kg / 2.38lbs	HOLDS: 1X LED BAR (UP TO 7.5KG)
	PIONEER HIGH LIFTING JACK HOLDER BRACKET (TOP MOUNT)	43219	PIONEER	2	na	3	1.3kg / 2.9lbs	
	PIONEER WORKLIGHT BRACKET	43234	PIONEER	2		3	0.4kg / 0.9lbs	
12.26	ALUMINIUM FOLDING LADDER	RAFL	PIONEER	1	2325mm/91.5" max ext, 2000mm/78.7" min ext	5	5.3kg / 11.7lbs	
12.27	ALUMINIUM FOLDING LADDER BRACKET	RUFLB	RAFL	1		3	2.1kg / 4.6lbs	
	HEAVY DUTY ATTACHMENT PLATE KIT	43105	PIONEER	2	84mm x 40mm x 4mm (3.3" x 1.6" x 0.2")	3	0.5kg / 1.1lbs	
12.28	LADDER MOUNT	43217	Pioneer	1	135 x 50 x 40mm, BAG 190 x 160mm	3	0.6kg	
12.29	WHEEL STEP	RWS	NA	1		3		Tyre size: 30 x 9.50R15. 285 x 75R16. 33 x 10.5R15. 265 x 70R16 265 x 75R16. 265 x 70R17. 33 x 12.50R15 (Tight Fit)
12.30	SHOVEL	43123	NA	1	1410mm / 55.5"		2.25kg / 5 lb	
12.31	SPADE	43124	Pioneer	1	1065mm/42"			

LUGGAGE TRAYS, BASKETS, BAGS & BOXES

- 49 Alloy Trays
- 49 Alloy Tray Accessories
- 50 Xtray
- 50 Steel Mesh Platform
- 50 Steel Mesh Baskets
- 51 Luggage Bags
- 52 Rooftop Boxes
- 53 Luggage Carrier Tech Specs





13.0 ALLOY TRAY



- Easy to assemble and install
- Heavy duty, non-corrosive components
- Unique tie-down points
- Aerodynamic shape for less wind resistance
- Available in a range of sizes
- Suitable for Rhino-Rack Heavy Duty & Rhino-Rack Vortex style crossbars
- Designed in Australia to withstand the harshest of Australian conditions
- Available in silver



14.0 XTRAY



- Universal clamp fits most crossbar types
- 3 year warranty
- 75kg load rating
- Engineered 2pc construction
- Corrosion resistant
- Fits roof racks of varying distances.
- Bar spacing: Max = 760mm Min = 535mm



15.0 STEEL MESH PLATFORM

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and colour fading

NB: Fitting Kits sold separately



16.0 STEEL MESH BASKET

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and colour fading

NB: Fitting Kits sold separately

17.0 LUGGAGE NETS



Luggage Nets can be used in conjunction with tie down straps to keep your load in place.

18.0 FIT KITS



RHINO HD U-BOLTS



RHINO VA U-BOLTS



EUROPEAN U-BOLTS



BASKET PLATES

19.0 LUGGAGE BAGS



PERFECT COMPANIONS FOR ROOF RACKS OR A PIONEER TRAY, ROOF BAGS AND BOXES ARE LIKE EXTRA BOOT SPACE ON THE ROOF.

For all those items you need to throw in to make your adventure more enjoyable why not simply add them to your roof. They are so quick and easy to install and most importantly keep everything dry and clean on a short or long haul trip.

Features

- Constructed using 500D High-End poly canvas tarpaulin - waterproof, tear resistant & fibre reinforced
- Protective velcro overlap to shield the zipper from the elements
- Welded seams provide superior waterproofing compared to traditional stitching
- Extra strong UV50+ securing straps with heavy duty Duraflex buckles to easily secure the luggage bag to a luggage tray or basket.
- Storage bag to keep the luggage bag protected between trips



19.1 200L



19.2 250L



19.3 350L



19.4 500L



19.5 600L



"I've travelled over 75,000 kms on unsealed roads around Australia, the Kimberly and the Simpson Desert to name a few with a Rhino-Rack Master Fit Luggage Box full to the brim. It's the most secure, dust and water resistant roof load carrying option I've ever used."

David Brickhill, Kaymar.

20.0 LUGGAGE BOXES




- Low profile
- Safe and secure fit
- 5 year warranty
- 75kg load rating
- Suitable for crossbars with a max width of 90mm & max height of 35mm



Jaws tighten around crossbar



Twist and press button to lock



Carbon-Fibre texture

NB: To fit on to heavy duty crossbars please use RUBK-MF fitting kit.

COMPARISON CHART	RMFT370	RMFT320	RMFT410	RMFT530
Colour	Black	Black	Black	Black
External Length (mm)	1770mm / 66.9"	1930mm / 76"	1910mm / 75.2"	2150mm / 84.6"
External Width (mm)	770mm / 30.3"	650mm / 25.6"	810mm / 31.9"	900mm / 35.4"
External Height (mm)	420mm / 16.5"	410mm / 16.1"	420mm / 16.5"	430mm / 17"
Capacity (litres)	370L	320L	410L	530L
Box weight	15kg / 33.1lb	15kg / 33.1lb	18kg / 39.7lb	21.5kg / 47.4lb
Max. allowed weight	75kg / 165.3lb	75kg / 165.3lb	75kg / 165.3lb	75kg / 165.3lb
Crossbar Spacing	550-890mm	550-1000mm	550-1000mm	550-100mm
Material	ABS/ASA**	ABS/ASA**	ABS/PMMA	ABS/PMMA
Opening	Dual Opening	Dual Opening	Dual Opening	Dual Opening
Locking points	Central	Central	Central	Central
Load securing straps included	2	3	3	3
Warranty	5 years	5 years	5 years	5 years

LUGGAGE CARRIERS - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (KG/LB)	WARR	NOTES
13.0	ALLOY TRAY	AT1510	1580mm x 1065mm x 120mm [62.2" x 41.9" x 4.7"]	1500mm x 1010mm [59.1" x 39.8"]	14.5kg / 32lb	5	Fit kit required (sold separately). Thule fit kits also available.
14.0	XTRAY SMALL	RMCB01	1200mm x 900mm x 200mm [47.2 x 35.4" x 7.9"]	1070mm x 760mm x 125mm [42.1" x 30" x 5"]	14kg / 30.9lb	3	Universal clamp fits most crossbar types
14.0	XTRAY LARGE	RMCB02	1480mm x 1090mm x 150mm [58.3" x 42.9" x 5.9"]	1350mm x 950mm x 125mm [53.1" x 37.4" x 5"]	21kg / 46.3lb	3	Universal clamp fits most crossbar types
15.0	STEEL MESH PLATFORM - HALF	RPBH	1500mm x 650mm [59.1" x 25.6"]	1460mm x 610mm [57.5" x 24"]	12kg / 26.5lb	3	Fit Kit sold separately
15.0	STEEL MESH PLATFORM - SMALL	RPBS	1245mm x 940mm [49" x 37"]	1205mm x 900mm [47.4" x 35.4"]	8kg / 17.6lb	3	Fit Kit sold separately
15.0	STEEL MESH PLATFORM - MED	RPBM	1340mm x 1100mm [52.8" x 43.3"]	1300mm x 1060mm [51.2" x 41.7"]	18kg / 39.7lb	3	Fit Kit sold separately
15.0	STEEL MESH PLATFORM - LGE	RPBL	1590mm x 1205mm [62.6" x 47.4"]	1550mm x 1165mm [61" x 45.9"]	21kg / 46.3lb	3	Fit Kit sold separately
15.0	STEEL MESH PLATFORM - XLGE	RPBXL	2100mm x 1165mm [82.7" x 45.9"]	2100mm x 1165mm [82.7" x 45.9"]	27kg / 59.5lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - HALF	RLBH	1410mm x 580mm x 120mm [55.5" x 22.8" x 4.7"]	1410mm x 580mm x 120mm [55.5" x 22.8" x 4.7"]	10.4kg / 23lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - SMALL	RLBS	1170mm x 875mm x 130mm [46.1" x 34.4" x 5.11"]	1170mm x 875mm x 130mm [46.1" x 34.4" x 5.1"]	9kg / 19.8lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - MED	RLBM	1210mm x 970mm x 140mm [47.6" x 38.2" x 5.5"]	1210mm x 970mm x 140mm [47.6" x 38.2" x 5.5"]	14kg / 30.9lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - LGE	RLBL	1540mm x 1150mm x 160mm [60.6" x 45.2" x 6.3"]	1540mm x 1150mm x 160mm [60.6" x 45.3" x 6.3"]	19.2kg / 42.3lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - XLGE	RLBXL	1810mm x 1160mm x 150mm [71.3" x 45.7" x 5.9"]	1810mm x 1160mm x 150mm [71.3" x 45.7" x 5.9"]	22kg / 48.5lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - 2 XLGE	RLBXXL	2100mm x 1165mm x 150mm [82.7" x 45.9" x 5.9"]	2000mm x 1080mm x 150mm [78.7" x 42.5" x 5.9"]	27kg / 59.5lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - HALF LONG	RLBHL	2100mm x 570mm x 120mm [82.7" x 22.4" x 4.7"]	2100mm x 570mm x 120mm [82.7" x 22.4" x 4.7"]	17kg / 37.5lb	3	Fit Kit sold separately
16.0	STEEL MESH BASKET - NARROW	RLBN	2100mm x 350mm x 120mm [82.7" x 13.8" x 4.7"]	2100mm x 350mm x 120mm [82.7" x 13.8" x 4.7"]	13kg / 28.7lb	3	Fit Kit sold separately
17.0	LUGGAGE NET SMALL	RLN1	800mm x 1200mm [31.5" x 47.2"]	800mm x 1200mm [31.5" x 47.2"]	0.53kg / 1.17lb	1	
17.0	LUGGAGE NET LARGE	RLN2	1000mm x 900mm [39.4" x 35.4"]	1000mm x 900mm [39.4" x 35.4"]	0.61kg / 1.34lb	1	
18.0	U-BOLT - HD FIT KIT	RUBK	Bag Dim: 240mm x 155mm [9.4" x 6.1"]	U-Bolt Dim: 75mm x 67mm [3" x 2.6"]	0.66kg / 1.46lb	3	To suit Steel Mesh Basket/Platform
18.0	U-BOLT - VA FIT KIT	S280	Bag Dim: 240mm x 155mm [9.4" x 6.1"]	U-Bolt Dim: 65mm x 100mm [2.6" x 4"]	0.65kg / 1.43lb	3	To suit Steel Mesh Basket/Platform
18.0	EUROPEAN U-BOLT - EURO FIT KIT	MUBK	Bag Dim: 240mm x 155mm [9.4" x 6.1"]	U-Bolt Dim: 34mm x 40mm [1.3" x 1.6"]	0.3kg / 0.66lb	3	To suit Steel Mesh Basket/Platform
18.0	BASKET PLATES	BP4	Bag Dim: 310mm x 150mm [12.2" x 5.9"]	Bracket Dim: 180mm x 30mm x 5mm [7.1" x 1.2" x 0.2"]	1.07kg / 2.36lb	1	Recommended for RLBL, RLBXL & RPBL baskets. For offroad use.
19.1	WEATHERPROOF LUGGAGE BAG (200L)	LB200	BASKET / ALLOY TRAY / PIONEER	1400 x 500 x 300mm [55.1" x 19.7" x 11.8"]	3kg / 6.6lbs	1	Not to be attached directly to crossbars or directly to the roof.
19.2	WEATHERPROOF LUGGAGE BAG (250L)	LB250	BASKET / ALLOY TRAY / PIONEER	1100 x 800 x 300mm [43.3" x 31.5" x 11.8"]	3.2kg / 7.1lbs	1	Not to be attached directly to crossbars or directly to the roof.
19.3	WEATHERPROOF LUGGAGE BAG (350L)	LB350	BASKET / ALLOY TRAY / PIONEER	1200 x 960 x 300mm [47.2" x 37.8" x 11.8"]	3.9kg / 8.6lbs	1	Not to be attached directly to crossbars or directly to the roof.
19.4	WEATHERPROOF LUGGAGE BAG (500L)	LB500	BASKET / ALLOY TRAY / PIONEER	1500 x 1100 x 300mm [59" x 43.3" x 11.8"]	5kg / 11lbs	1	Not to be attached directly to crossbars or directly to the roof.
19.5	WEATHERPROOF LUGGAGE BAG (600L)	LB600	BASKET / ALLOY TRAY / PIONEER	1800 x 1100 x 300mm [70.9" x 43.3" x 11.8"]	5.7kg / 12.6lbs	1	Not to be attached directly to crossbars or directly to the roof.

LOAD SECURING

- 55 Rapid Locking Strap
- 56 Rapid Strap
- 57 Cable Core Lockdown
- 59 Load Securing Tech Specs



21.0 RAPID LOCKING STRAPS

- Straps can be tightened before & after cover is locked
- 3.2mm PU coated steel wire encased in the strap to protect against cutting
- Steel wire starts 250mm from the end, allowing easy feed of strap through the cambuckle and ease in tying off excess strap
- Lower vibration noise caused by wind when compared to regular tie down straps
- Maximum lashing capacity is 225kg
- Tested to AS4380:2001
- Cambuckle Cover is completely removable to aid in feeding/securing strap
- Security stop inside cover helps prevent theft
- Aluminium cambuckle is corrosion resistant



Lockable cover is completely removable and Masterkey™ compatible



Rubberised cambuckle helps protect your load/vehicle from damage



Cable Core - 3.2mm PU coated steel wire encased through length of the strap



Included: 2 × straps, 2 × covers with locks, 2 × keys, 2 × storage velcro straps



22.0 RAPID STRAPS

- Unique design registered Buckle Protector, designed to encase the metal cam buckle
- Buckle Protector is made from TPV rubber and provides maximum protection for your gear or vehicle.
- Sewn in Velcro "Roll it" Strap to keep the strap neatly stowed and indicate strap length.
- Low vibration noise caused by wind
- Maximum lashing capacity is 225kg
- Tested to AS4380:2001
- Aluminium cambuckle is corrosion resistant



22.1 RAPID HOOK STRAP

To be used in conjunction with Pioneer Eye Bolts





22.2 RATCHET GRAB



22.3 EYE BOLT KIT



22.4 PICKUP KIT



22.5 ADJUSTABLE LOAD HOLDER



22.6 CABLE CORE LOCKDOWN



22.7 HD CABLE CORE LOCKDOWN





WHAT'S THE BEST WAY TO SECURE MY KAYAK?

TYING DOWN YOUR KAYAK INCORRECTLY CAN GET YOU IN TROUBLE. IT CAN CAUSE AN ACCIDENT OR DAMAGE YOUR KAYAK. HERE ARE SOME TIPS TO HELP YOU SAFELY SECURE THINGS.

There are a couple of things to bear in mind when securing your kayak. Firstly, positioning your kayak correctly, is important. Make sure the weight distribution is even on the kayak carrier. Secondly, always use at least two straps to tie down the kayak hull to each roof rack crossbar. Thirdly, when carrying a kayak (or any long load for that matter) the front and rear must be anchored to avoid rocking. Rocking can cause damage to your vehicle, kayak, or roof racks.

Some vehicles have anchor points under the bonnet and boot for towing while other vehicles may need to use alternative securing methods. Rhino-Rack has two alternative securing methods for long loads; the Bonnet Anchor Strap (RBAS) and the Rhino Anchor Strap (RAS).

If the kayak will be left unattended for some time it is recommend to use the Locking Rapid Straps (RTD35L) for added security. These straps have an inner lining of polyurethane coated wire with a lockable casing to help prevent theft.

Strap the body of the kayak by looping the straps around each roof rack. Fasten using the cam buckles and tighten so it is secure without placing too much pressure on the kayak and roof racks. If you cannot reach under the kayak, consider placing the strap down on the far side and walk the straps around the vehicle. The Rhino-Rack Wheel Step (RWS) is suitable for some vehicles to assist in securing loads.

Use tie down straps to secure the bow and stern to the anchor points, either use points on the kayak to secure the strap or use the Rhino-Rack Bow Strap Bonnet Tie Down (RBAS1). This Kayak Tie Down strap has two cam buckles, one to fasten the strap around the kayak and the other to the vehicle anchor point. Once attached to the kayak pull through the anchor point and twist the strap around itself to reduce vibration. Use the cam buckle to tighten the straps and always coil the excess to prevent damage from wind flapping.

Always check the kayak is secured firmly to the carriers before driving. To check the kayak is secure, move the kayak left to right from the rear and front of the vehicle. The vehicle and kayak should move in unison if the load is secure. As new ropes and straps may stretch and road vibrations may cause straps to loosen, check the kayak is secure again after driving a short distance.

Drive cautiously as longer loads can change the handling of vehicles, especially at higher speeds and in heavy wind conditions. Be mindful the length of your vehicle may have changed, always check how far the kayak protrudes and drive accordingly.

LOAD SECURING - Tech Specs



Check your vehicle manufacturer's handbook
for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART #	SUITS	QTY	DIM	WARR	WEIGHT	NOTE
21.0	RAPID STRAPS LOCKING	RTD25L	NA	2	2.5m / 98.4"	1	1.1kg / 2.4lbs	Lashing Capacity 225kg/496lb
21.0	RAPID STRAPS LOCKING	RTD35L	NA	2	3.5m / 137.8"	1	1.3kg / 2.9lbs	Lashing Capacity 225kg/496lb
21.0	RAPID STRAPS LOCKING	RTD45L	NA	2	4.5m / 177.2"	1	1.6kg / 3.5lbs	Lashing Capacity 225kg/496lb
21.0	RAPID STRAPS LOCKING	RTD55L	NA	2	5.5m / 216.5"	1	1.9kg / 4.2lbs	Lashing Capacity 225kg/496lb
22.0	RAPID STRAPS	RTD35P	NA	2	3.5m / 137.8"	1	0.4kg / 0.9lbs	Lashing Capacity 225kg/496lb
22.0	RAPID STRAPS	RTD45P	NA	2	4.5m / 177.2"	1	0.5kg / 1.1lbs	Lashing Capacity 225kg/496lb
22.0	RAPID STRAPS	RTD55P	NA	2	5.5m / 216.5"	1	0.55kg / 1.21lbs	Lashing Capacity 225kg/496lb
22.0	RAPID STRAPS	RTD35C	NA	2	3.5m / 137.8"	1	0.4kg / 0.9lbs	Camo pattern & lashing capacity 225kg/496lb
22.0	RAPID STRAPS	RTD45C	NA	2	4.5m / 177.2"	1	0.5kg / 1.1lbs	Camo pattern & lashing capacity 225kg/496lb
22.1	RAPID HOOK STRAPS	RTDH3	NA		3m / 118"			Lashing Capacity 225kg/496lb
22.2	RATCHET PICK UP KIT	43175	PIONEER	2	1.8m / 70.9" strap length	1	1kg / 2.2lbs	Lashing Capacity 225kg/496lb
22.3	EYEBOLT KIT	43178	PIONEER	4		1		
22.4	CAM BUCKLE PICK UP KIT	43179	PIONEER	2	2.2m / 86.6" strap length	1	0.7kg / 1.5lbs	Lashing Capacity 225kg/496lb
22.5	ADJUSTABLE LOAD HOLDER	RLH2	VA BARS	2	160 x 85 x 65mm	3	0.3kg / 0.7lbs	ALLOWS THE PROFILE TO BE MINIMISED TO 130MM
22.6	CABLE CORE LOCKDOWN	43205	PIONEER/VA	1	0.6m / 1'11"	3	0.3kg / 0.7lbs	
22.6	CABLE CORE LOCKDOWN	43206	PIONEER/VA	1	1.2m / 3'11"	3	0.35kg / 0.77lbs	
22.6	CABLE CORE LOCKDOWN	43207	PIONEER/VA	1	1.8m / 5'11"	3	0.4kg / 0.9lbs	
22.7	CABLE CORE LOCKDOWN	43208	HD BAR	1	0.6m / 1'11"	3	0.3kg / 0.7lbs	8mm (5/32") PVC coated steel wire with zinc protection
22.7	CABLE CORE LOCKDOWN	43209	HD BAR	1	1.2m / 3'11"	3	0.4kg / 0.9lbs	
22.7	CABLE CORE LOCKDOWN	43210	HD BAR	1	1.8m / 5'11"	3	0.5kg / 1.1lbs	

AWNINGS

- 62 Batwing
- 64 Sunseeker
- 66 Dome
- 69 Awning Accessories
- 70 Awning Tech Specs





FAN OUT THIS SUMMER

PORTABLE PROTECTION FOR ANY ADVENTURE



RHINO-RACK



INTRODUCING THE **ALL NEW** **BATWING**

After years of supplying a co-branded product we decided it was time to take all our ideas, add a few new ideas and create this amazing 270 degree awning. We focused on maintaining the high quality of the old product, introducing new and exciting features all based around keeping it as light, tough, easy to use but most of all fully integrated.

23.0 BATWING AWNING

Features:

- New Styling sees black powder coated extrusion and poles plus the new black UV resistant PVC bag, looks fantastic on any vehicle
- Easy Grip Zippers
- Rare Earth magnets hold the arms in place for quick and easy storage and safe transport
- We have increased the size of the straps as well to make it easier to pack and unpack and keep the awning safely stored while you travel.
- New internal storage pocket holds all 8 ropes and 10 pegs, keeping everything you need, packed together neatly.
- Powder-coated aluminium poles, feature cross-directional tie down points for added security in windy conditions.
- Brackets included
- Compatible with all existing side walls, extensions and tents

Material:

- The hinges are made from flexible and durable plastic to minimise the risk of snapping
- The Awning fabric is a heavy duty rip-stop, water and mould resistant material that has been independently tested to UPF 50 + rating, offering the maximum sun protection

Accessories for the Batwing are available on page 69.

LOVE THE GREAT OUTDOORS

A MUST-HAVE FOR ANY ADVENTURE



RHINO-RACK



INTRODUCING THE **ALL NEW** sunseeker

The Rhino-Rack Sunseeker is made from the same high quality materials as the Batwing. Available in 2 sizes it is perfect for small, medium or large vehicles and provides protection from the elements for all your outdoor activities.

24.0 SUNSEEKER AWNING

Features:

- Quick & Easy to set up and pack down
- Made from 150D R/S water resistant canvas
- UV-protected with a UV50+ rating
- Rust Proof
- MouldShield™
- Water resistant rating of PU 2000mm
- Velcro tensioning tabs attached to the awning to aid water run off
- Sturdy support telescopic poles made from black anodised aluminium
- Spikes at the base of each pole aid in securing them to the ground with a convenient peg rope
- Large easy-grip zipper tags for convenience
- Black heavy duty PVC 540gsm carry bag
- All hardware covered in plastic caps for protection and to reduce wear & tear
- Protective patches fitted to the corners of the awning to increase strength, durability, and longevity of the awning
- Fits all Rhino-Rack and Thule roof racks with specific fitting kits
- Included is a bracket that will work on the Pioneer systems




Accessories for the Sunseeker are available on page 69.

25.0 DOME AWNING

The Dome 1300 (1.3m) is a compact awning that you can fit to the side or rear of your vehicle providing you with a large area of cover. Perfect for camping, picnics, or lazy days at the beach.

Features:

- Ripstop polycotton canvas construction
- Provides UV protection (UV50+) and is waterproof (PU1500mm)
- Domed shaped ceiling provides ample headspace & allows the boot of the vehicle to be opened
- Fold out sides provides extra area of cover
- Can withstand strong weather conditions
- Domed shaped promotes effective water run off during showers or storms
- Can also be fitted to the side of a vehicle
- Quick and easy one person setup
- Comes with mounting hardware, 2 x guy ropes, 2 x vertical poles and 2 x dome support poles







ANYWHERE
EVERYWHERE
GOTCHA
COVERED

EVERY PURCHASE GOES TOWARDS
CANCER RESEARCH AND SERVICES

RHINO-RACK



THE HARSH SUMMER SUN WON'T BE ABLE TO STOP KEEN ADVENTURERS FROM HITTING THE ROAD AND EXPLORING THE GREAT OUTDOORS WHEN YOU HAVE A RHINO-RACK AWNING.

Not all awnings can shield you from UV radiation, that's why Rhino-Rack is proud that our awning range is endorsed by Cancer Council, and offers maximum UV protection. With a UPF 50 plus rating to provide excellent protection from UV radiation, Rhino-Rack's brand new Batwing and revamped SunSeeker are both Cancer Council endorsed products, meaning you will still be sun safe while relaxing at your chosen destination. Every purchase of Rhino-Rack's Batwing and Sunseekers will support Cancer Council's work in cancer research, education and support services, helping them take a step closer to finding new and better ways to prevent, diagnose and treat cancer.

But remember, shade does not provide 100% protection. Some of the sun's UV can still reach you in the shade by reflecting off surrounding surfaces. As a rule of thumb if you can see the sky, you are less than fully protected so always combine shade with clothing, a hat, sunglasses and sunscreen.

26.0 AWNING ACCESSORIES



26.1 RHINO-RACK TAPERED EXTENSION



26.2 SUNSEEKER SIDE WALL



26.3 SANDSCREW



26.4 FOXWING FRONT EDGE ZIPPERED INSERT



26.5 SUNSEEKER EXTENSION

AWNING - Tech Specs



Check your vehicle manufacturer's handbook
for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART NO.	SIZE (OPEN)	SIZE (CLOSED)	MOUNT	WEIGHT	WARR	SUITS	NOTES
23.0	BATWING RH	33200	11m square / 118.4 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1		UV50+ 210D poly ox w/r PU2000mm
23.0	BATWING LH	33100	11m square / 118.4 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1		UV50+ 210D poly ox w/r PU2000mm
24.0	SUNSEEKER BLACK 2500	32133	2500 x 2100 / 98.4" x 82.7"	60 x 110 x 2500 / 2.4" x 4.3" x 98.4"	Pioneer/VA/HD	10kg / 22lb	1		
24.0	SUNSEEKER BLACK 2000	32132	2000 x 2100 / 78.7" x 82.7"	60 x 110 x 2000 / 2.4" x 4.3" x 78.7"	Pioneer/VA/HD	10kg / 22lb	1		
25.0	DOVE	32125	2500mm x 2400mm / 98" x 94"	60 x 110 x 1300 / 2.4" x 4.3" x 51"	Pioneer/VA/HD	8.5KG / 18lb	1		
26.1	TAPERED EXTENSION	32112	2300 x 3800 / 90.6" x 149.6"	-	Batwing	2.8kg / 6.2lb	1	Batwing	Up to 4 extensions can be used
26.2	SUNSEEKER SIDE WALL	32112	1290 x 220 x 220 / 50.8" x 8.7" x 8.7"	-	Sunseeker	2.8kg / 6.2lb	1	Sunseeker	Adds another 2m x 2m of additional coverage
26.3	SAND SCREW	31113	513mm / 20.2" (length)	-	All Awnings	0.16kg / 0.35lb	1	Sunseeker/Batwing	For sand and loose soil
26.4	FRONT EDGE ZIPPERED INSERT	31124	1650 x 2325 / 65" x 91.5"	-	Sunseeker	1.4kg / 3.1lb	1	Batwing	Fills out front edge of foxwing and Batwing
26.5	SUNSEEKER EXTENSION	32111	1290 x 220 x 220 / 50.8" x 8.7" x 8.7"	-	Sunseeker	2.56kg / 5.6lb	1	Sunseeker	Adds another 2m in width and 4m²
26.5	SUNSEEKER 2500 EXTENSION	31101	1190 x 120 x 110 /	-		2.9kg	1		Also suits Batwing

ADD TO VENTURE



SPORT WATER

- 73 Kayak & SUP Carriers
- 73 Fishing Rod Holder
- 74 Wrap Pads
- 75 Kayak & SUP Accessories
- 76 Kayak Loaders
- 78 Side Boat Loader
- 79 Rear Boat Loader
- 80 Water Tech Specs



OUR CARRIERS ARE NOT ONLY PERFECT FOR YOUR KAYAK OR CANOE BUT ALSO YOUR SUP

27.1 LOCKABLE KAYAK CARRIER



- Hidden locks
- Fits a variety of hull shapes
- Marine grade felt lined rear cradles for maximum hull protection
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area
- Perfect hull contact
- Unique 180 degree rotation
- 4 cradles included
- Includes 4 straps (2x 5m, 2x 3.5m) with buckle protector

Fit kit sold separately for heavy duty crossbars



27.2 UNIVERSAL KAYAK CARRIER



- Universal crossbar fit
- Fits a variety of hull shapes
- Perfect hull contact
- Marine grade felt lined rear cradles for maximum hull protection
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area
- Unique 180 degree rotation
- Includes 4 straps (2x 5m, 2x 3.5m) with buckle protector

Fit kit sold separately for heavy duty crossbars



STRAPS INCLUDED

All Nautic Kayak Carriers include 4 straps (2x 5m, 2x 3.5m) featuring our buckle protector

FISHING ROD HOLDER/SKI & SNOWBOARD HOLDER



Moulded rubber designed to secure rods into position

27.3 572/573 SERIES

These stylish locking arms provide a simple, effective method of locking down your gear without a fuss. This carrier will fit all leading crossbar brands.



Image shows the 572 Carrier mounted to a Side Angled Recovery Track Bracket (Part No. 43159)

For another fishing rod option check out the Multi Purpose Holder on page 83 or the Locking Conduit options on pages 103

TRANSPORT YOUR KAYAK WITH SAFETY AND EASE

WE HAVE A RANGE OF
CARRIERS TO CHOOSE FROM.
CARRY 1, 2, 3 OR 4 KAYAKS



27.4 NAUTIC STACK

- Holds up to 4 kayaks
- Optional fitting application - clamp or C channel nut and bolt system
- Foldable Stack arm when not in use
- Glass reinforced nylon base adds exceptional strength
- Stack Arm made of high strength anodised alloy



27.5 FOLDABLE

- Side loading
- Rubber tube padding protection
- Steel tube with state of the art coating protection
- Universal mounting system to suit all cross bar shapes
- Paddle holder attached
- Straps included



27.6 KAYAK CARRIER EXTENSION

- Enables you to transport 1 extra watercraft at the same time
- Suitable for the S512
- Includes straps



27.7 FIXED POSITION

- Side loading
- Rubber tube padding protection
- Stainless steel hardware included
- Steel tube with state of the art coating protection
- Universal mounting system to suit all crossbar shapes
- Includes straps



27.8 UNIVERSAL WRAP PAD

- Protect your roof racks from damage when loading and unloading your surfboard, canoe, kayak, paddleboards, etc with the Rhino-Rack Universal Wrap Pads.
- Available in 4 different lengths



Image shows RWP03

SUP & KAYAK ACCESSORIES



28.1 VA UNDERSIDE TIE DOWN POINT

Perfect for SUPs



28.2 WALL MOUNT

Perfect for kayaks or SUPs



28.3 KAYAK BOW STRAP

Perfect for SUPs



28.4 RHINO MULTI PURPOSE HOLDER

Suits all leading crossbar brands



28.5 BONNET ANCHOR STRAP



28.6 'C' CHANNEL FIT KIT

Fits S510, S512 Kayak Carrier and S512X Extension Piece into the 'C' Channel.

29.0 KAYAK LOADERS

29.1 T-LOAD



THE RHINO-RACK T-LOAD WILL HELP YOU TO EASILY LOAD AND UNLOAD YOUR SUP OR LONG, HEAVY CARGO BY YOURSELF.

The single person use T-Load mounts to a 50mm tow ball or a 2" hitch and features an anti-swivel plate designed to stop any tow ball sway. Simply lower the T-Load and using it as a leverage load your SUP, kayak, canoe, ladder or any long and heavy gear onto your vehicle's roof with ease. Rhino-Rack is making it easier to do what you want, when you want.



T-LOAD NUMBER PLATE HOLDER

Our T-Load Number Plate Holder will help you keep your number plate in clear view.

29.2 UNIVERSAL SIDE LOADER



Features:

- Push button for quick release and easy storage
- Includes cross bar clamps to suit all popular roof racks
- Includes heavy duty storage bag
- Includes support pole for kayaks greater than 20kg
- Integrated load stop prevents kayak from sliding off bar
- Foam padding for protection of kayak
- Padding on the underside of clamps to protect vehicle roof
- Additional clamps to suit Rhino VA/HD/Euro, Thule, Rola, Prorack* included

* Fit certain bar profiles

WE HAVE A NUMBER OF SOLUTIONS TO HELP YOU LOAD YOUR KAYAK OR BOAT WITHOUT THE STRAIN OF HEAVY LIFTING.

WHAT IS THIS BEST 'LIFTER' FOR ME?

Just like understanding what racks you might need for your vehicle by going through the six questions on page 5, finding out the best lifting accessory for you is just as important but just as easy. The two main considerations are first, what you are carrying, how heavy and how big and second are you likely to be by yourself when you are lifting and loading?

Designed to protect you, your vehicle and those around you, Rhino-Rack has plenty of accessories to help you get your gear up and safely secured to the roof of your vehicle. Most importantly we design these products so one person can get it done with a minimum of fuss. Loading on the side or the rear of the vehicle is also covered plus if you need extra tie downs you will find more load securing options on page fifty four. We love the outdoors so it is important to us you spend more time enjoying it than missing out by not getting your gear there safely or spending way too much time loading and unloading.

29.3 NAUTIC KAYAK LIFTER

Look no further, Rhino-Rack introduces the Nautic Kayak Lifter, the only kayak lifter on the market that has:

1. 80kg load capacity
2. No heavy lifting
3. Single person operation

- Quick set up
- Fits most popular roof racks
- No drilling required in kayak
- Lifts kayaks up to 80kg
- Height adjustable to suit various vehicle heights
- Low friction, easy slide ramps
- Rust proof
- UV protection
- 5 year warranty
- Designed & built in Australia

Kit includes:

- 2x adjustable alloy ramps
- 2x alloy roller support bars
- Manual Winch
- Hardware
- 8m non stretch marine rope
- Harness Kit (6 straps included)



**WATCH
OUR VIDEO**



Manual Winch included



29.4 SIDE LOADER




- A padded velcro wrap kit is included to protect the kayak when you load and slide it to the top of your vehicle
- A rubber mat is included to protect your kayak from scraping the floor when loading

30.0 SIDE BOAT LOADER



- Single person operation
- Load and unload your tinnie without unhitching the caravan or trailer
- Uses a hand drill for effortless loading (18 volt drill recommended)
- Ideal for boats up to 80kg in weight*
- Fits Rhino Heavy Duty and Rhino VA crossbars 1250mm and up
- Minimum requirement of only 2 crossbars
- Fits a range of vehicles including 4WD's, lowroof camper vans and station wagons.
- No need for a boat trailer
- * Check your manufacturers load rating to determine the maximum carrying capacity of your specific vehicle.

31.0 REAR BOAT LOADER



Worm Drive



2 Ratchet Straps included



Hitch Frame Part# RBLHF (sold separately)

- Single person operation
- Worm drive winch operated by cordless drill (18V)
- Carries boats up to 80 kg*
- Designed to reduce the risk of personal injury
- Boat Loader 2" Receiver Hitch H Frame (Part# RBLHF).

Please Note:

- Not suitable for inflatable boats
- Not suitable for station wagons

* Please check with your local Rhino-Rack dealer to ensure this product is suitable for your vehicle or boat

WATER - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WARR	NOTES	RECOMMENDED ACCESSORIES
27.1	NAUTIC LOCKABLE SIDE LOADING	580	1	4	60KG/132lbs	5	Off road load rating is 30kg/66lbs, Masterkey compatible	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.1	NAUTIC LOCKABLE REAR LOADING	581	1	4	60KG/132lbs	5	Off road load rating is 30kg/66lbs, Masterkey compatible	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.2	NAUTIC UNIVERSAL SIDE LOADING	570	1	4	60KG/132lbs	5	Off road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.2	NAUTIC UNIVERSAL REAR LOADING	571	1	4	60KG/132lbs	5	Off road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.3	FISHING ROD HOLDER	572/573	4	NA		5		Masterkey compatible
27.4	NAUTIC STACK	S520	4	4	75KG/165lbs	5	Off road load rating is 38Kg/84lbs, C Channel and Universal Mounting	RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.5	FOLDABLE 'J' STYLE	S512	1	4	45kg/99lbs	3	Off Road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Include paddle holder	S512X, KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.6	FOLDABLE 'J' STYLE EXTENSION	S512X	1	4	30kg/66lbs	3	Off Road Rating is 15Kgs/33lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall,	Paddle cradle on the S512 cannot be used while the S512X extension is fitted
27.7	FIXXED 'J' STYLE	S510	1	4	45kg/99lbs	3	Off Road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall,	KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
27.8	WRAP PAD	RWP01	1	0	75kgs/165lbs	1	380mm/15" in length and suits VA Bars	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
27.8	WRAP PAD	RWP03	1	2	75kgs/165lbs	1	550mm/22" in length	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
27.8	WRAP PAD	RWP04	1	2	75kgs/165lbs	1	700mm/28" in length	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
27.8	WRAP PAD	RWP05	1	2	75kgs/165lbs	1	850mm/33" in length	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
28.1	VA UNDERSIDE TIE DOWN POINT	S606				5		
28.2	WALL MOUNT	RWHL, RWHS	1	1	80KG/176lbs	3	Internal or external use	
28.3	KAYAK BOW STRAP	RBAS1		1		1	Suitable for both Bow and Stern bonnet and boot. See instructions for reference.	
28.3	KAYAK BOW STRAP	RBAS2		1		1	Paddle board bonnet tie down strap	
28.4	RHINO MULTI PURPOSE HOLDER	RMPHU	1-2 PADDLES	0	7KG/15lbs	3	Can be fitted to Pioneer and C channel, HD-FK5 fitting kit is required to attach this product to the HD Bars C channel or HD-FK1 for HD universal mounting	RTD35P
28.5	BONNET ANCHOR STRAP	RBAS		1		1	Can be used for either bonnet or boot	
28.5	BONNET ANCHOR STRAP	RAS		2		1	Used for permanent mounting inside bonnet	
28.6	'C' Channel fit Kit	KC-FK10		0		1		
28.6	'C' Channel fit Kit	KC-FK8		0		1	Suits S510/12/12X for VA bar C channel	
28.6	'C' Channel fit Kit	KC-FK9		0		1	Suits S510/12/12X for Rola	

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WARR	NOTES	RECOMMENDED ACCESSORIES
29.1	T-LOAD - TOWBALL MOUNT	RLT001			60KG/132lbs	3	1250mm VA crossbar & 1 kayak sling included	
29.1	T-LOAD - HITCH MOUNT	RLT002			60KG/132lbs	3	1250mm VA crossbar & 1 kayak sling included	
29.1	T-LOAD - TOWBALL MOUNT	RLT003			60KG/132lbs	3	No Cross bar in this kit	
29.1	T-LOAD - HITCH MOUNT	RLT004			60KG/132lbs	3	No Cross bar in this kit	
29.1	T-LOAD NUMBER PLATE HOLDER	RTLNP				3	Suitable most vehicle licence plates or auxillary licence plates	
29.2	UNIVERSAL SIDE LOADER	RUSL			60KG/132lbs	3	Clamps included to suit Rhino VA/HD/Euro, Thule, Rola, Prorack*	
29.3	NAUTIC KAYAK LIFTER	NKL	1		80KG/176lbs	5	Requires a roof rack system with bar overhang of 100mm. Not recommended for our VA 2500 RS, RSS, RSF, RSP, SG systems	NKL-FK1, NKL-FK2, NKL-FK3, NKL-FK5, NKL-FK5, RTD25L
29.4	SIDE LOADER	SLH01	1		75KG/165lbs	3	Requires cutting of alloy, includes rubber mat, 2 x 700mm wrap pads	RTD25-55L, RTD35-5P
30.0	SIDE BOAT LOADER	RSBL	1 BOAT		80KG/165lbs	5	Uses a hand drill for effortless loading (18 volt drill recommended)	
31.0	REAR BOAT LOADER	RBLW	1 BOAT		80KG/165lbs	5	2" Receiver Hitch H Frame (Part# RBLHF) sold separately	

SPORT SNOW

- 83 Ski & Snowboard Carrier
- 83 Multi-Purpose Holder
- 83 Snow Tech Specs





Rubber Grip Protection



Easy Locking Mechanism



Universal Mounting



C-Channel Mounting



32.0 SKI & SNOWBOARD HOLDER

- Fits up to 6 pairs of skis / 4 snowboards
- Sold in a pair
- Key locking for security. Masterkey compatible
- Easy to use locking mechanism
- Rubber grip to position and secure your equipment
- Universal fit to suit the most popular roof racks on the market



MASTERKEY COMPATIBLE

32.1 MULTI-PURPOSE HOLDER

The Rhino-Rack Multi Purpose Holder is perfect for carrying fishing rods, ski poles & kayak paddles!

SNOW - Tech Specs

REF	PART NO.	INTERNAL DIMENSION	SKI	SNOWBOARDS	FISHING RODS
32.0	572	250mm	2	-	4
32.0	573	325mm	3	2	4
32.0	574	500mm	4	2	-
32.0	576	695mm	6	4	-
32.1	RMPHU		1	-	3

SPORT BIKES

- 85 Roof Mounted Carriers
- 86 Rear Mounted Carriers
- 87 Bike Carrier Accessories
- 88 Bike Tech Specs



33.0 ROOF MOUNTED BIKE CARRIER



33.1 HYBRID

- Multiple locking system, rack to carrier, bike to carrier and finally the cable to keep your bike and racks as secure as possible
- Ergonomically shaped handle with release trigger and locking system
- Premium aluminium casting and tray
- Wheel straps secure bike firmly to your roof
- Universal mounting hardware fits the most popular roof racks on the market.
- Fits to C-Channels (use #RBCA034)
- Fits from 20" kids bikes to 29" mountain bikes
- Suitable for bikes up to 21kg / 45lb
- Minimum crossbar spacing 55cm / 21" and maximum is 101cm / 39"
- MasterKey compatible
- Fat Bike Adaptor also available with part #RBCA033



33.2 MOUNTAINTRAIL

- Low profile
- Universal crossbar fit
- Fits all wheel dimensions
- Locks included to secure carrier to both the bicycle and roof bars
- Easily adjustable locking skewer
- Fits discs and standard brake systems



33.3 ROAD WARRIOR

- Low profile
- Suits most "C" Channel crossbar profiles
- Rear wheel strap fits all wheel dimensions
- Lockable
- Suits most types of bikes with either standard or disc brake systems
- Adjustable locking skewer

34.0 REAR MOUNTED BIKE CARRIER



34.1 CRUISER4

- Compatible with 1.25" and 2" receiver hitch
- Integrated 8mm locking cable included for added security
- Anti-sway cradles prevent bike to bike contact
- Upper locking cam lever allows the top arms to fold down when not in use
- Lower locking cam lever tilts the carrier 45 degrees allowing access to the rear
- Adjustable rubber cradles designed to fit a range of bikes
- Perfect for vehicles with rear spare tyres - the Cruiser4 has 264mm / 10 $\frac{3}{8}$ " of clearance which will even accommodate most over-sized tyres
- Carry up to 60kg / 132lb



CARRYING CAPACITY



34.2 BALL MOUNT BIKE CARRIER

- 4 bike carrier
- Top arm folds down when not in use
- Max 15kg per bike
- Folds down for boot/hatch access
- Includes 2 straps for securing the bikes
- Spanner included
- Recommended accessory RBCA011 (Number Plate Holder)



CARRYING CAPACITY



34.3 SPARE WHEEL BIKE CARRIER

- Easy fitment
- Ultra-light material
- 3 year warranty
- Carrying capacity of two bikes

Note: Not recommended for off road use or rear mounting on caravans



CARRYING CAPACITY

35.0 BIKE CARRIER ACCESSORIES



35.1 NUMBER PLATE HOLDER



35.2 MULTI-AXLE ADAPTOR INC 3 X INSERTS



35.3 BAR ADAPTOR



35.4 THRU AXLE INSERT 12 X 100



35.5 THRU AXLE INSERT 15 X 110



35.6 THRU AXLE INSERT 15 X 150



35.7 THRU AXLE INSERT 20 X 110



35.8 THRU AXLE INSERT 9 X 135

BIKE - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART NO.	HOLDS	DIMENSIONS	MAX LOAD	WEIGHT	WARR	NOTES
33.1	HYBRID - ROOF	RBC050	1	980mm x 330mm x 115mm / 38.6" x 13" x 4.5"	21kg / 45lb	7.2Kg/15lbs	5	Fat Bike Adaptor also available with part #RBCA033. Use #RBCA035 for Heavy Duty Bar.
33.2	MOUNTAINTRAIL - ROOF	RBC035	1	1400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15KG	4Kg/8.82lbs	5	Minimum cross bar spacing 55cm, maximum 101cm
33.3	ROAD WARRIOR - ROOF	RBC036	1	1400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15KG	2.5Kg/5.51lbs	5	Minimum cross bar spacing 55cm, maximum 101cm
34.1	CRUISER4 - REAR	RBC051	4	107mm x 360mm x 315mm / 4.2" x 14.2" x 12.4"	60kg/132lb	39.68 (lbs?)	3	4 Bike Hitch carrier
34.2	BALL MOUNT - REAR	RBC008	4	910mm 260mm 380mm / 35.8" x 10.2" x 15"	60kg/132lb	15	3	Folds down for boot/hatch access. For use with Circular towball mounts and not the conical flanged stule mounts (particularly the "convert-a-ball" product)
34.3	SPARE WHEEL - REAR	RBC025	2	750mm x 600mm x 120mm / 29.5" x 23.6" x 4.7"	30kg/66lb	7.3	3	Not recommended for heavy off road use or rear mounting on caravans
35.1	NUMBER PLATE HOLDER	RBCA011	NA	880mm x 190mm x 110mm / 34.6" x 7.5" x 4.3"		2.3Kg	3	Check with the regulatory body in your region whether you are required to use a Number Plate Holder
35.3	BAR ADAPTOR	RBCA021	NA	300mm x 150mm x 50mm / 11.8" x 5.9" x 2"		1.1Kg	3	Allows rear mounted bike carrier to be used with oversized frames and certain kids/ladies bikes.
35.2	MULTI AXLE ADAPTOR	RBCA030	NA				3	Converts existing fork mount to work with new thru-axle standards
35.4	THRU AXLE INSERT	RBCA031	NA	12x100mm			3	Allows 12mmx100mm thru-axle bikes to fit the mulit axle adaptor
35.5	THRU AXLE INSERT	RBCA036	NA	15x110mm			3	Allows 15mmx110mm thru-axle bikes to fit the mulit axle adaptor
35.6	THRU AXLE INSERT	RBCA037	NA	15x150mm			3	Allows 15mmx150mm thru-axle bikes to fit the mulit axle adaptor
35.7	THRU AXLE INSERT	RBCA038	NA	20x110mm			3	Allows 20mmx110mm thru-axle bikes to fit the mulit axle adaptor
35.8	THRU AXLE INSERT	RBCA039	NA	9x135mm			3	Allows 9mmx135mm thru-axle bikes to fit the mulit axle adaptor



THE KEY TO SOLVING ALL YOUR PROBLEMS

THE RHINO-RACK MASTERKEY SYSTEM ALLOWS YOU TO CHANGE THE LOCKS IN YOUR RHINO-RACK ROOF RACKS & ACCESSORIES TO ELIMINATE CARRYING MULTIPLE KEYS.

- Each pack contains 2 moulded Masterkeys in blue for easy identification.
- One key for all your Rhino-Rack products
- Simply replace the lock barrels in all your Rhino-Rack products
- Eliminate the hassle of carrying multiple keys
- Barrel sets available in 2, 4 & 8 packs

COMPATIBLE PRODUCTS:

Roof Rack	2500 System, RLT600, SRB Leg, VA-SEC2/4
Watersport	580, 581
Ski Carrier	572U, 574U, 576U
Bike Carrier	RBC035, RBC036, RBC050
Securing	RTD35L, RTD45L, RTD55L, 43205, 43206, 43207, 43208, 43209, 43210
Other	Conduit Locking End Cap

WORK SOLUTIONS - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART #	QTY	SUITS	DIM	LOAD	WARR	NOTE
36.19	LOCKING END CAP	LSE100	2	100mm PVC pipes (4 inches)		15kg	5yr	Black
36.19	LOCKING END CAP	LSE100H	1	100mm PVC pipes (4 inches)		15kg	5yr	Black
36.19	LOCKING END CAP	LSE101	2	100mm PVC pipes (4 inches)		15kg	5yr	Orange
36.19	LOCKING END CAP	LSE101H	1	100mm PVC pipes (4 inches)		15kg	5yr	Orange
36.20	CONDUIT END CAP + SLEEVE	BEC		NA	100mm diameter		1	Orange
36.20	CONDUIT END CAP + SLEEVE	BEC150		NA	150mm diameter		1	White
36.21	CONDUIT END CAP	BCW	1	100mm PVC pipes (4 inches)	200mm x 150mm x 40mm	15kg		Orange
36.21	CONDUIT END CAP	BC150	1	100mm PVC pipes (4 inches)	255mm x 200mm x 50mm	15kg		Orange
36.21	CONDUIT END CAP	BCW-C	2	100mm PVC pipes (4 inches)	200mm x 170mm x 100mm	15kg		Copper Conduit Endcap. Reinforced. Orange
36.22	CONDUIT CLAMP	RPC4	2	100mm clamp. HD Bars	260mm x 160mm x 160mm		3	
36.22	CONDUIT CLAMP	RPC6	2	150mm clamp. HD Bars	310mm x 160mm x 160mm		3	
36.22	CONDUIT CLAMP	SPC4	2	100mm clamp. VA Bars	240mm x 160mm x 50mm		3	
36.22	CONDUIT CLAMP	SPC6	2	150mm clamp. VA Bars	240mm x 160mm x 50mm		3	
36.23	CONDUIT CLAMP	BC2	2	100mm clamp	255mm x 155mm x 55mm		3	
36.23	CONDUIT CLAMP	BC3	3	100mm clamp	200mm x 160mm x 60mm		3	
36.23	CONDUIT CLAMP	BC4	4	100mm clamp	200mm x 160mm x 60mm		3	
36.23	CONDUIT CLAMP	BC2-150	2	150mm clamp			3	
36.23	CONDUIT CLAMP	BC3-150	2	150mm clamp			3	
36.24	CONDUIT LOWER SIDE BRACKET	BC3-LSB	3	HD Bars			3	
36.25	CONDUIT	P30-100	1	100mm diameter	3m		5	Can be fitted to the Heavy Duty Bars using the Rhino-Rack conduit clamps RPC4, BC2, BC3, BC4. The P30-100 will also fit Vortex Bars using the Conduit Clamp SPC4.
36.25	CONDUIT	P30-150	1	150mm diameter	3m		5	Can be fitted to the Heavy Duty Bars using the Rhino-Rack conduit clamps RPC4, BC2, BC3, BC4. The P30-100 will also fit Vortex Bars using the Conduit Clamp SPC4.
36.25	CONDUIT	P46-100	1	100mm diameter	4.6m		5	Can be fitted to the Heavy Duty Bars using the Rhino-Rack conduit clamps RPC4, BC2, BC3, BC4. The P30-100 will also fit Vortex Bars using the Conduit Clamp SPC4.
36.25	CONDUIT	P46-150	1	100mm diameter	4.6m		5	Can be fitted to the Heavy Duty Bars using the Rhino-Rack conduit clamps RPC4, BC2, BC3, BC4. The P30-100 will also fit Vortex Bars using the Conduit Clamp SPC4.



WORK SOLUTIONS - Tech Specs



Check your vehicle manufacturer's handbook for your car's **ROOF LOAD RATING**

REF	PRODUCT	PART #	QTY	SUITS	DIM	LOAD	WARR	NOTE
36.1	RHINO-RACK EASY SLIDE	MS15-680	1	HD Bars. 1.5m step ladders			5	Slide width is 680mm wide. Straps are sold separately. Fit Kit sold separately.
36.1	RHINO-RACK EASY SLIDE	MS15-470	1	HD/VA Bars. Ext ladders			5	Slide width is 470mm wide. Straps are sold separately. Fit Kit sold separately.
36.2	RHINO ECONOMY LADDER SLIDE KIT	REGLK	1	HD Bars. 3 bar system	305mm x 220mm x 190mm		3	The kit consists of: 1 x RLS5 - Ladder Strap, 1 x RUH - Ladder Hoops, 3 x REG - Ladder Slides
36.2	RHINO ECONOMY LADDER SLIDE KIT	SEGLK	1	VA Bars. 3 bar system	305mm x 220mm x 190mm		3	The kit consists of: 1 x RLS5 - Ladder Strap, 1 x RUH - Ladder Hoops, 3 x REG - Ladder Slides
36.2	RHINO ECONOMY LADDER SLIDE KIT	RESLK	1	HD Bars. 3 bar system				
36.3	RHINO-RACK LADDER SLIDE	REG	2	HD Bars	290mm x 160mm x 110mm		3	Low friction surface is ideal for loading and unloading ladders, pipes and planks of wood
36.3	RHINO-RACK LADDER SLIDE	SEG	2	VA Bars	300mm x 160mm x 110mm		3	Low friction surface is ideal for loading and unloading ladders, pipes and planks of wood
36.4	RHINO-RACK EASY SLIDE	RES	2		230mm x 160mm x 80mm		3	Low friction surface is ideal for loading and unloading ladders, pipes and planks of wood
36.5	ALLOY ROLLER	RR1375	1	HD Bars	1375mm			
36.5	ALLOY ROLLER	RR1500	1	HD Bars	1500mm			
36.5	ALLOY ROLLER	RR1650	1	HD Bars	1650mm			
36.5	ALLOY ROLLER	RR1800	1	HD Bars	1800mm			
36.5	ALLOY ROLLER	RR470	1	HD Bars	470mm			
36.5	ALLOY ROLLER	RR540	1	HD Bars	540mm			
36.5	ALLOY ROLLER	RR615	1	HD Bars	615mm			
36.5	ALLOY ROLLER	RR680	1	HD Bars	680mm			
36.5	VORTEX ROLLER	SR470		VA Bars	470mm			
36.5	VORTEX ROLLER	SR540		VA Bars	540mm			
36.5	VORTEX ROLLER	SR615		VA Bars	615mm			
36.5	VORTEX ROLLER	SR680		VA Bars	680mm			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS26-470	1	HD Bars	2.6m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS26-680	1	HD Bars	2.6m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS30-470	1	HD Bars	3.0m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS30-680	1	HD Bars	3.0m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS35-470	1	HD Bars	3.5m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS35-680	1	HD Bars	3.5m			
36.6	MULTI SLIDE EXTENSION LADDER RACK	MS40-470	1	HD Bars	4.0m			

REF	PRODUCT	PART #	QTY	SUITS	DIM	LOAD	WARR	NOTE
36.7	STEP LADDER RACK	CSL	1	HD Bars	2.6m			
36.7	EXTENSION LADDER RACK	CSL26	1	HD Bars	2.6m			
36.7	EXTENSION LADDER RACK	CSL3	1	HD Bars	3.0m			
36.7	EXTENSION LADDER RACK	CSL4	1	HD Bars	4.0m			
36.8	OHS Extension Ladder Loader	OHS001	1	HD Bars				
36.8	OHS Extension Ladder Loader	OHS002	1	HD Bars				
36.8	OHS Extension Ladder Loader	OHS003	1	HD Bars				
36.8	OHS Extension Ladder Loader	OHS004	1	HD Bars				
36.9	Slide Out Ladder Loader	T7-SLRS						
36.10	RHINO LOAD HOLDER	RLH1	2	HD Bars			3	
36.10	RHINO LOAD HOLDER	RLH2	2	VA Bars / Pioneer			3	
36.11	EYEBOLT	REB	2	HD Bars			1	
36.11	EYEBOLT	S604	2	VA Bars			1	
36.12	T-BOLT	STB16	4	VA Bars	16mm		3	Allows the fitment of certain Rhino-Rack accessories to VA Bars. See instructions for reference.
36.12	T-BOLT	STB25	4	VA Bars	25mm			Allows the fitment of certain Rhino-Rack accessories to VA Bars. See instructions for reference.
36.13	CABLE LOCK	RLLB		HD Bars			1	
36.14	RATCHET GRAB	RRG	1	HD Bars/Mont Blanc		220kg	1	
36.14	RATCHET GRAB	SRG	1	VA Bars			1	
36.15	RHINO J BOLT	RJBS		HD Bars	205mm		3	
36.15	RHINO J BOLT	RJBL		HD Bars	250mm		3	
36.16	LADDER PEG	RSLP	2	HD Bars			3	
36.16	LADDER PEG	RMLP	2	HD Bars	Medium 135 mm		3	
36.16	LADDER PEG	RLLP	2	HD Bars	Large 210 mm		3	
36.17	RATCHET GRAB	RRG	1	HD Bars/Mont Blanc Bar	2m	220kg/496lb	1	Recommended to be used with the Rhino-Rack Eye Bolt (REB) which is sold separately.
36.17	RATCHET GRAB	RRG1		HD Bar	3m	680kg/1500lb	1	
36.17	RATCHET GRAB	RRG2		HD Bar	4.5m	680kg/1500lb	1	
36.18	LADDER STRAP	RLS5		HD Bars		Lashing capacity 225kg	1	
36.18	LADDER STRAP	SLS5		VA Bars			1	
36.18	LADDER STRAP	SLS45		VA Bars			1	
36.18	LADDER STRAP	RLS5-15		HD Bars		Lashing capacity 225kg	1	




36.10 RHINO LOAD HOLDER

- Position your load so it doesn't slide in transit
- Height adjustable to cater for different size loads.
- Quick release for easy adjustment



36.11 EYEBOLT

- Ideal for use with all of our Ratchet Grab products.



36.12 T-BOLT

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease



36.13 CABLE LOCK

- A great easy solution for locking your ladders to your Rhino-Rack Heavy Duty Bars.



36.14 RATCHET GRAB

- Stainless Steel
- 2m strap included
- Attaches to the crossbar
- Load Rating: 220 kg



36.15 RHINO J BOLT

- Quick and easy accessory that allows you to safely secure a spare wheel to a Rhino-Rack Heavy Duty crossbar
- Hook spacing 43mm
- Hook thread 105mm



36.16 LADDER PEG

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease
- Perfect for positioning ladders



36.17 RATCHET GRAB

- Secure your load with confidence
- Strap made from high-grade webbing
- Load rating up to 680 kg
- High quality, durable stainless steel



36.18 LADDER STRAP

- Camloc type features "snap on" fastening shackle. Secures your ladder quickly and easily



36.19 LOCKING END CAP

- O-Ring seal reduces dust and water build up inside the conduit pipe
- Locking end cap sits flush with internal conduit pipe so there is no interference with your conduit load
- Lid remains open even when your vehicle is parked on an incline
- Double wall internal pivot plate
- Dynamic testing to AS1235:2000
- Crash tested to ISO11154:2006



36.20 CONDUIT END CAP & SLEEVE

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



36.21 CONDUIT END CAP

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



36.22 CONDUIT CLAMP



36.23 CONDUIT CLAMP

- Attaches 100mm conduit to the Rhino Heavy Duty Bar



36.25 CONDUIT



MASTERKEY COMPATIBLE

SECURING YOUR GEAR IS NOT HARD WORK



36.24 CONDUIT LOWER SIDE BRACKET

- Mounts Conduit to the side of your vehicle, reducing overall height
- Clamp secures conduit while still allowing for sliding door clearance
- Stainless steel, nylon moulding
- Adjustable to accommodate most vans and vehicle widths


LET'S TALK OPTIONS.

Positioning your conduit on top of your roof racks is a default for most people, however, sometimes you need all the space you can get on top of the racks for the bigger equipment like ladders or it is just too high to reach easily.

With the Rhino-Rack Conduit Lower Side Bracket you now have an option to fit the conduit below the racks, giving you easier access and clearance from your doors. Also consider what you are going to carry in your conduit. Heavy metal like copper might need an extra third bar and bracket for that safe transport, whereas fishing rods only need two.



BRACKETS ARE OUR THING.



We have a range of all purpose plates ideal for various applications such as setting up roof rack bars in custom configurations.

Need a safe solution to secure your equipment? We have a range of brackets designed to help you attach your gear. For custom solutions and advice please contact your local Rhino-Rack specialist.

For specialist advice talk to your local Rhino-Rack dealer



Scan to locate your nearest **Rhino-Rack dealer**

M U L T I P U R P O S E



FIXING BRACKET
Part# A116B

- Right angle fastening bracket
- Hardware included



T SHAPE FITTING PLATE
Part# C641

- Black powder coated steel
- 8mm hardware required



L SHAPE FLAT FITTING PLATE
Part# C642

- Black powder coated steel
- 8mm hardware required



Z SHAPE FITTING PLATE
Part# C637

- Black powder coated steel
- 8mm hardware required



FLAT FITTING PLATE
Part# C638

- Black powder coated steel
- 8mm hardware required



L SHAPE UPRIGHT FITTING PLATE
Part# C640

- Black powder coated steel
- 8mm hardware required

A E R I A L



MULTI-PURPOSE
PART NO: RMPB

BARS	USE
Rhino-Rack Heavy Duty	Aerial Lights



VORTEX AERIAL BRACKET
PART NO: S613

BARS	USE
Rhino-Rack Vortex	Aerial



AERIAL MOUNT KIT
PART NO: RAMK

BARS	USE
Rhino-Rack Heavy Duty	Aerial



AERIAL MOUNT BRACKET KIT
PART NO: RABK

BARS	USE
Rhino-Rack Heavy Duty	Aerial

**BEACON MOUNTING PLATE**

PART NO: RBP (to suit HD)

PART NO: SBP (to suit VA)

BARS	USE
Rhino-Rack Heavy Duty	Beacon Light

**VORTEX WORK LIGHT BRACKET**

PART NO: SWLB

BARS	USE
Rhino-Rack Vortex	Beacon Light

**HIGH LEVEL TAIL BRACKET**


PART NO: RHLTL

BARS	USE
Rhino-Rack Vortex	Lights

**RHINO BEACON PLATE-CAB BAR MOUNT**

PART NO: RBP-CBM

BARS	USE
Rhino-Rack Heavy Duty	Beacon Light

**LIGHT ANGLE BRACKET**

PART NO: RLAB

BARS	USE
Rhino-Rack Heavy Duty	Lights

**LIGHT MOUNT BRACKET**

PART NO: RWLB

BARS	USE
Rhino-Rack Heavy Duty	Lights Aerials

**RHINO-RACK UNIVERSAL**

PART NO: 31111

BARS	AWNING
Rhino-Rack Vortex Heavy Duty Pioneer range	Most popular

**RHINO-RACK VA/HD**

PART NO: 31108

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Foxwing

**RHINO-RACK HD**

PART NO: 32102

BARS	AWNING
Rhino-Rack Heavy Duty	Sunseeker

**RHINO-RACK EURO**

PART NO: 31105

BARS	AWNING
Rhino-Rack Euro Prorack P, Carac Thule (Square Bar)	Foxwing

**RHINO-RACK HD**

PART NO: 31102

BARS	AWNING
Rhino-Rack Heavy Duty	Foxwing

**RHINO-RACK PIONEER TRAY**

PART NO: 43100

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing + Sunseeker

**SUNSEEKER AWNING ANGLED DOWN BRACKET**

PART NO: 32127

BARS	AWNING
Rhino-Rack flush bars	Sunseeker

**RHINO-RACK VA/HD**

PART NO: 32114

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Sunseeker

**TRACKLANDER TRAY**

PART NO: 31104

BARS	AWNING
Tracklander	Foxwing

**ARB/TJM TRAY**

PART NO: 31103

BARS	AWNING
ARB/TJM	Foxwing

**SUNSEEKER AWNING ANGLED UP BRACKET**

PART NO: 32123

BARS	AWNING
Rhino-Rack flush bars	Sunseeker

**THULE ROOF RACKS**

PART NO: 31105

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing


36.8 OHS LADDER LOADER



REDUCE THE RISK OF INJURY

THE OHS LADDER LOADER ALLOWS YOU TO LOAD AND UNLOAD A LADDER FROM A HIGH ROOF VEHICLE QUICKLY, EASILY AND SAFELY.

Australian designed and built, the Rhino OHS Ladder Loader aids in safety, significantly reducing the risk of a manual handling injury. It has also been designed in line with current Australian Work Health & Safety Regulations.



36.9 SLIDE OUT LADDER LOADER

- Slide out mechanism to allow easier access to your ladder
- Slide out mechanism protects damage to your vehicle and to yourself
- A roller fitted to the end to allow you to easily slide your ladder on and off
- Easy slides fitted to enable simple loading and unloading
- Ladder strap and lock to secure your ladder (optional)
- Ladder hoops to provide added security
- 2.2m in length which slides out an extra 750mm

Note: Fitting kits are required to fit the T7-SLRS to your roof racks and are sold separately.



Slide out mechanism



CONDUIT CAP

Crash tested, ribbed conduit end cap. Supplied with secure wire trace for easier operation.



MASTERKEY COMPATIBLE



LADDER SLIDES

Low friction polypropylene slides have easy adjustable positioning to suit various length ladders.



LADDER HOOPS

Two piece height adjustable ladder hoop attached to rails to allow for most ladder sizes.

LADDER REST

Supports to minimise the ladder catching the roof during the loading/unloading process



CONDUIT CLAMP

PART NO: BC3
100mm clamp. (1pr)

PART NO: BC3-150
150mm clamp. (1pr)



LADDER STRAP

Camloc type features "snap on" fastening shackle. Secures your ladder quickly and easily.



CONDUIT

3mtr/100mm diameter
3mtr/150mm diameter
4.6mtr/100mm diameter
4.6mtr/150mm diameter



BULL NOSE SLIDES

Rear slides allow effortless ladder loading.



CABLE LOCK

Attaches to ladder rail. (ladder rail mount shown)



WARNING FLAG

36.6 MULTI SLIDE STEP OR EXTENSION LADDER RACK



Features:

- Slide width is 470mm wide
- Suitable for 2.6 metre extension ladders
- Includes ladder hoop
- Includes RLS5 Ladder strap to secure your ladder

36.7 CSL EXTENSION LADDER RACK



Features:

- Includes ladder hoop
- Includes RLS5 Ladder strap to secure your ladder

NB Our Extension Ladder Rack fits to Rhino-Rack Heavy Duty bars (sold separately).

**WE HAVE A LARGE RANGE
OF LADDER CARRIERS
TO HELP YOU LOAD
AND TRANSPORT YOUR
LADDERS SAFELY**



36.2 RHINO ECONOMY LADDER SLIDE KIT



- This allows ladders to be carried safely on Rhino-Rack crossbars.

36.3 RHINO-RACK LADDER SLIDE



Allows smooth and easy ladder loading and solid load holding capabilities all in one compact easy to use item.

36.4 RHINO-RACK EASY SLIDE



- Used for ladders, timber planks and long items
- Can be used as a roller replacement
- Made from UV stabilised polyethylene

36.5 RHINO-RACK ROLLERS



Replacement roller mounting brackets available

SECURING YOUR GEAR IN THE RIGHT WAY HELPS PREVENT INJURY AND DAMAGE.



TOP TIPS FOR SECURING YOUR TOOLS

Behind every tradesman is a great collection of tools. But to keep safe and well protected, it's important to have those tools secure before, during and after your handiwork endeavours.

Securing your gear the right way helps prevent damage to your tools and injury to yourself and others. Vehicles with secure tools are also less likely to be targets of theft, and let's face it, no one wants to wake up to the sight of missing tools from their vehicle!

While ropes and bungee cords may seem like the best option for securing your gear, they can be very difficult to keep rigid. The elasticity in bungee cords that makes them so convenient, also allows loads to shift and cargo to escape, and once they stretch out, you'll need to buy a replacement.

Tie down straps and ratchet straps are a far stronger and more reliable option to lock your tools snugly and firmly to your vehicle, meaning they won't damage in transport when going from one job to the next. And for a place to anchor your knots, install some eyebolts for extra leverage and security.

For optimum space and avoiding collision with any other tools, ladder racks and pegs are definitely the way to go. We all know what happens when our shovels aren't secured, so why not use shovel holders to keep them in place? That way, no one goes home with broken tools or unwanted damage to your vehicle.

For more information on advice and the Rhino-Rack range, head to rhinorack.com.au

STEP IT UP A LEVEL. LET'S TALK LADDER RACKS



Step Ladders



Extension Ladders

Perfect for
Dual Cabs

36.1 RHINO-RACK EASY SLIDE LADDER RACKS

TRANSPORTING LONG HEAVY LADDERS THAT ARE A NECESSITY FOR YOUR JOB CAN BE A DANGEROUS AND BACK-BREAKING TASK.

The weight and the length of ladders can vary dramatically and sometimes you will need to create a safe carrying option that spans over the canopy and the cab of your ute or the full length of your van. Rhino-Rack has a solution for just about any combination with accessories and parts that can level out the longest ladders or loads. Plus add to this even more accessories that make loading and securing them a breeze. Don't risk a ladder sliding off the side of your vehicle when you load or you hurting yourself or others around you. We have very simple solutions to help you lift and guide your gear on easily. And once it is up there some fast and secure solutions for a safe journey. Remember it's not just all about ladders, you could be surprised by our range of accessories and the variety of equipment or materials you can carry!

TRADE SOLUTIONS

94 Ladder Racks
96 Ladder Slides
99 Ladder Loaders
101 Brackets + Accessories
105 Tech Specs

WORK YOUR WAY TO THE WEEKEND

You invest a lot of money in your tools of the trade, so why not make another investment to make sure those tools are secure on the roof of your ute or van. We got loads of products to secure your gear and even some that make it a breeze to load and unload your vehicle.





RHINO-RACK

RHINOLOGUE 2018 - TRADE & COMMERCIAL

